

CT 2490/2002

Contracts Circular N° 52/2002
Department of Contracts
Notre Dame Ravelin
Floriana

28th December 2002

To Heads of Department
and Parastatal Bodies

Mild Steel Bars, Angles, Plates and Hollow Sections – 2003

1. Heads of Department and Accounting Officers are hereby informed that the contract for the supply and delivery of Mild Steel Bars, Angles, Plates and Hollow Sections to Government Departments and Parastatal Bodies, as and when required, has been placed with the contractors shown below for the items and at the prices indicated on the attached Schedule. Prices are inclusive of all charges and taxes including VAT.

- a) M/S Joseph Caruana Co. Ltd.
Caruana Bldg.
Mgarr Road,
Victoria
Gozo

Tel: 2156 0019
VAT No.: 1162-7308

- b) M/S Transmec Services Ltd.
Wied il-Ghasel,
Burmarrad SPG 08

Tel: 2158 0908
VAT No.: 119-5914

- c) M/S Polidano Bros.
Hal Farrug,
Luqa LQA 05

Tel: 2124 4241
VAT 1016-2536

.../....

....cont. Circ. No. 52/2002

2. Payments to contractors are not to be made until further notice.
3. This contract shall run from the 2nd January 2003 up to the 31st December 2003.
4. The attention of Heads of Department is drawn to Clauses 5 and 6 of the attached Specifications and Conditions regulating this contract.
5. This contract is also governed by the usual 'General Conditions of Contract for the Supply of Goods and Materials under a Running Period Contract.'

J V Spiteri
Director General (Contracts)

encls

THE SCHEDULE - 2003

1. Mild Steel Bars - Machineable Quality ROUND

				@	Lm		per metre
1. 1	5mm	(3/16")	Caruana			0.06,5	
1. 2	6mm	(1/4")	Transmec			0.05,6	
1. 3	8mm	(5/16")	Caruana			0.06,4	
1. 4	10mm	(3/8")	Caruana			0.09,4	
1. 5	12mm	(1/2")	Caruana			0.14,0	
1. 6	14mm	(9/16")	Caruana			0.19,5	
1. 7	16mm	(3/8")	Caruana			0.24,9	
1. 8	19mm	(3/4")	Caruana			0.32,5	
1. 9	22mm	(7/8")	Caruana			0.49,5	
1.10	25mm	(1")	Transmec			0.59,7	
1.11	32mm	(1 1/4")	Caruana			0.87,8	
1.12	38mm	(1 1/2")	Caruana			1.60,0	
1.13	50mm	(2")	Caruana			2.50,0	
1.14	65mm	(2 1/2")	Caruana			4.00,0	
1.15	70mm	(2 3/4")	Caruana			5.00,0	
1.16	75mm	(3")	Caruana			6.30,0	

2. Mild Steel Bars - Machineable Quality SQUARE

				@	Lm		per metre
2. 1	6mm	(1/4")	Caruana			0.06,3	
2. 2	8mm	(5/16")	Caruana			0.09,5	
2. 3	10mm	(3/8")	Caruana			0.13,8	
2. 4	12mm	(1/2")	Caruana			0.18,2	
2. 5	16mm	(5/8")	Caruana			0.31,5	
2. 6	19mm	(3/4")	Caruana			0.40,5	
2. 7	25mm	(1")	Caruana			0.79,0	
2. 8	32mm	(1 1/4")	Caruana			1.13,0	
2. 9	38mm	(1 1/2")	Caruana			2.20,0	
2.10	50mm	(2")	Caruana			3.85,0	
2.11	65mm	(2 1/2")	Caruana			6.00,0	
2.12	70mm	(2 3/4")	Caruana			7.50,0	
2.13	75mm	(3")	Caruana			8.00,0	

3. Mild Steel Bars - Machineable Quality

FLAT

3.1	1.5mm	(1/16")	x	25mm	(1")	Caruana	@ Lm	<u>0.13,5</u>	per metre
3.2	3mm	(1/8")	x	12mm	(1/2")	Caruana		<u>0.07,5</u>	
3.3	3mm	(1/8")	x	16mm	(5/8")	Caruana		<u>0.08,5</u>	
3.4	3mm	(1/8")	x	19mm	(3/4")	Caruana		<u>0.08,5</u>	
3.5	3mm	(1/8")	x	25mm	(1")	Caruana		<u>0.10,0</u>	
3.6	3mm	(1/8")	x	32mm	(1 1/4")	Caruana		<u>0.11,4</u>	
3.7	3mm	(1/8")	x	38mm	(1 1/2")	Caruana		<u>0.15,5</u>	
3.8	3mm	(1/8")	x	45mm	(1 3/4")	Caruana		<u>0.22,0</u>	
3.9	3mm	(1/8")	x	50mm	(2")	Caruana		<u>0.21,0</u>	
3.10	5mm	(3/16")	x	16mm	(5/8")	Caruana		<u>0.12,8</u>	
3.11	5mm	(3/16")	x	19mm	(3/4")	Caruana		<u>0.12,5</u>	
3.12	5mm	(3/16")	x	25mm	(1")	Caruana		<u>0.15,5</u>	
3.13	5mm	(3/16")	x	32mm	(1 1/4")	Caruana		<u>0.18,6</u>	
3.14	5mm	(3/16")	x	38mm	(1 1/2")	Caruana		<u>0.25,0</u>	
3.15	5mm	(3/16")	x	45mm	(1 3/4")	Caruana		<u>0.26,0</u>	
3.16	5mm	(3/16")	x	50mm	(2")	Caruana		<u>0.32,0</u>	
3.17	6mm	(1/4")	x	12mm	(1/2")	Transmec		<u>0.13,7</u>	
3.18	6mm	(1/4")	x	16mm	(5/8")	Transmec		<u>0.16,5</u>	
3.19	6mm	(1/4")	x	19mm	(3/4")	Caruana		<u>0.15,5</u>	
3.20	6mm	(1/4")	x	25mm	(1")	Caruana		<u>0.18,8</u>	
3.21	6mm	(1/4")	x	32mm	(1 1/4")	Caruana		<u>0.23,0</u>	
3.22	6mm	(1/4")	x	38mm	(1 1/2")	Caruana		<u>0.29,8</u>	
3.23	6mm	(1/4")	x	45mm	(1 3/4")	Caruana		<u>0.35,7</u>	
3.24	6mm	(1/4")	x	50mm	(2")	Caruana		<u>0.37,8</u>	
3.25	6mm	(1/4")	x	65mm	(2 1/2")	Caruana		<u>0.45,6</u>	
3.26	6mm	(1/4")	x	75mm	(3")	Caruana		<u>0.60,0</u>	
3.27	6mm	(1/4")	x	88mm	(3 1/2")	Caruana		<u>0.80,0</u>	
3.28	6mm	(1/4")	x	100mm	(4")	Caruana		<u>0.83,0</u>	
3.29	8mm	(5/16")	x	25mm	(1")	Caruana		<u>0.25,2</u>	
3.30	8mm	(5/16")	x	32mm	(1 1/4")	Caruana		<u>0.29,5</u>	
3.31	8mm	(5/16")	x	38mm	(1 1/2")	Caruana		<u>0.40,0</u>	
3.32	8mm	(5/16")	x	50mm	(2")	Caruana		<u>0.50,0</u>	
3.33	8mm	(5/16")	x	65mm	(2 1/2")	Caruana		<u>0.64,0</u>	
3.34	8mm	(5/16")	x	100mm	(4")	Caruana		<u>1.15,0</u>	
3.35	10mm	(3/8")	x	25mm	(1")	Caruana		<u>0.31,4</u>	
3.36	10mm	(3/8")	x	32mm	(1 1/4")	Caruana		<u>0.38,4</u>	
3.37	10mm	(3/8")	x	38mm	(1 1/2")	Caruana		<u>0.50,9</u>	
3.38	10mm	(3/8")	x	45mm	(1 3/4")	Caruana		<u>0.66,0</u>	
3.39	10mm	(3/8")	x	50mm	(2")	Caruana		<u>0.62,8</u>	
3.40	10mm	(3/8")	x	65mm	(2 1/2")	Caruana		<u>0.89,5</u>	

cont. **Mild Steel Bars - Machineable Quality**

FLAT

3.41	10mm	(3/8")	x	75mm	(3")	Caruana	@ Lm	<u>0.98,0</u>	per metre
3.42	10mm	(3/8")	x	125mm	(5")	Caruana		<u>1.64,0</u>	
3.43	12mm	(1/2")	x	25mm	(1")	Caruana		<u>0.37,9</u>	
3.44	12mm	(1/2")	x	32mm	(1 1/4")	Caruana		<u>0.46,0</u>	
3.45	12mm	(1/2")	x	38mm	(1 1/2")	Caruana		<u>0.60,4</u>	
3.46	12mm	(1/2")	x	45mm	(1 3/4")	Caruana		<u>0.74,5</u>	
3.47	12mm	(1/2")	x	50mm	(2")	Caruana		<u>0.75,9</u>	
3.48	12mm	(1/2")	x	65mm	(2 1/2")	Transmec		<u>0.95,0</u>	
3.49	12mm	(1/2")	x	75mm	(3")	Caruana		<u>1.14,9</u>	
3.50	12mm	(1/2")	x	100mm	(4")	Caruana		<u>1.65,0</u>	
3.51	19mm	(3/4")	x	75mm	(3")	Caruana		<u>2.25,0</u>	
3.52	19mm	(3/4")	x	100mm	(4")	Caruana		<u>3.50,0</u>	

4. Mild Steel Bars - Machineable Quality

ANGLE

4.1	12mm	(1/2")	x	12mm	(1/2")	x	3mm	(1/8")	Caruana	@Lm	<u>0.30,0</u>	per
4.2	19mm	(3/4")	x	19mm	(3/4")	x	3mm	(1/8")	Caruana		<u>0.15,7</u>	mtr
4.3	25mm	(1")	x	25mm	(1")	x	3mm	(1/8")	Caruana		<u>0.18,4</u>	
4.4	25mm	(1")	x	25mm	(1")	x	5mm	(3/16")	Caruana		<u>0.28,4</u>	
4.5	25mm	(1")	x	25mm	(1")	x	6mm	(1/4")	Caruana		<u>0.33,5</u>	
4.6	32mm	(1 1/4")	x	32mm	(1 1/4")	x	3mm	(1/8")	Caruana		<u>0.21,9</u>	
4.7	32mm	(1 1/4")	x	32mm	(1 1/4")	x	5mm	(3/16")	Caruana		<u>0.34,5</u>	
4.8	32mm	(1 1/4")	x	32mm	(1 1/4")	x	6mm	(1/4")	Caruana		<u>0.41,0</u>	
4.9	32mm	(1 1/4")	x	32mm	(1 1/4")	x	10mm	(3/8")	Caruana		<u>1.00,0</u>	
4.10	38mm	(1 1/2")	x	38mm	(1 1/2")	x	3mm	(1/8")	Transmec		<u>0.31,1</u>	
4.11	38mm	(1 1/2")	x	38mm	(1 1/2")	x	6mm	(1/4")	Caruana		<u>0.56,0</u>	
4.12	38mm	(1 1/2")	x	38mm	(1 1/2")	x	8mm	(5/16")	Caruana		<u>0.90,0</u>	
4.13	38mm	(1 1/2")	x	38mm	(1 1/2")	x	10mm	(3/8")	Caruana		<u>1.20,0</u>	
4.14	45mm	(1 3/4")	x	45mm	(1 3/4")	x	6mm	(1/4")	Caruana		<u>0.64,0</u>	
4.15	45mm	(1 3/4")	x	45mm	(1 3/4")	x	8mm	(5/16")	Caruana		<u>0.90,0</u>	
4.16	50mm	(2")	x	50mm	(2")	x	6mm	(1/4")	Caruana		<u>0.71,4</u>	
4.17	50mm	(2")	x	50mm	(2")	x	8mm	(5/16")	Caruana		<u>1.00,0</u>	
4.18	65mm	(2 1/2")	x	65mm	(2 1/2")	x	6mm	(1/4")	Caruana		<u>0.92,5</u>	
4.19	65mm	(2 1/2")	x	65mm	(2 1/2")	x	8mm	(5/16")	Caruana		<u>1.14,0</u>	
4.20	65mm	(2 1/2")	x	65mm	(2 1/2")	x	10mm	(3/8")	Caruana		<u>1.62,0</u>	
4.21	75mm	(3")	x	75mm	(3")	x	8mm	(5/16")	Caruana		<u>1.62,0</u>	
4.22	75mm	(3")	x	75mm	(3")	x	10mm	(3/8")	Caruana		<u>2.00,0</u>	
4.23	89mm	(3 1/2")	x	89mm	(3 1/2")	x	10mm	(3/8")	Caruana		<u>2.50,0</u>	
4.24	100mm	(4")	x	100mm	(4")	x	12mm	(1/2")	Caruana		<u>3.20,0</u>	

5. Mild Steel Bars - Machineable Quality

'T' IRON

5.1	19mm	(3/4")	x	3mm	(1/8")	thick	Caruana	@ Lm	<u>0.30,0</u>	per metre
5.2	25mm	(1")	x	3mm	(1/8")	thick	Caruana		<u>0.26,5</u>	
5.3	25mm	(1")	x	5mm	(3/16")	thick	Caruana		<u>0.40,0</u>	
5.4	25mm	(1")	x	6mm	(1/4")	thick	Caruana		<u>0.48,0</u>	
5.5	25mm	(1")	x	8mm	(5/16")	thick	not awarded			
5.6	25mm	(1")	x	10mm	(3/8")	thick	not awarded			
5.7	32mm	(1 1/4")	x	3mm	(1/8")	thick	Caruana		<u>0.50,0</u>	
5.8	32mm	(1 1/4")	x	6mm	(1/4")	thick	Caruana		<u>0.56,0</u>	
5.9	32mm	(1 1/4")	x	8mm	(5/16")	thick	not awarded			
5.10	32mm	(1 1/4")	x	10mm	(3/8")	thick	not awarded			
5.11	38mm	(1 1/2")	x	3mm	(1/8")	thick	not awarded			
5.12	38mm	(1 1/2")	x	5mm	(3/16")	thick	Caruana		<u>0.45,0</u>	
5.13	38mm	(1 1/2")	x	6mm	(1/4")	thick	Caruana		<u>0.50,0</u>	
5.14	38mm	(1 1/2")	x	8mm	(5/16")	thick	not awarded			
5.15	38mm	(1 1/2")	x	10mm	(3/8")	thick	not awarded			
5.16	45mm	(1 3/4")	x	6mm	(1/4")	thick	not awarded			
5.17	45mm	(1 3/4")	x	8mm	(5/16")	thick	not awarded			
5.18	45mm	(1 3/4")	x	10mm	(5/8")	thick	not awarded			
5.19	50mm	(2")	x	5mm	(3/16")	thick	Caruana		<u>0.85,0</u>	
5.20	50mm	(2")	x	6mm	(1/4")	thick	Caruana		<u>0.90,0</u>	
5.21	50mm	(2")	x	8mm	(5/16")	thick	Caruana		<u>1.20,0</u>	
5.22	50mm	(2")	x	10mm	(3/8")	thick	not awarded			
5.23	65mm	(2 1/2")	x	6mm	(1/4")	thick	Caruana		<u>1.50,0</u>	

MILD STEEL HOLLOW SECTION

6.1	19mm	(3/4")	x	19mm	(3/4")	x	G1.25mm	Transmec	@ Lm	<u>0.24,2</u>	per metre
6.2	19mm	(3/4")	x	19mm	(3/4")	x	G1.50mm	Transmec		<u>0.24,2</u>	
6.3	25mm	(1")	x	25mm	(1")	x	G1.25mm	Caruana		<u>0.28,2</u>	
6.4	25mm	(1")	x	25mm	(1")	x	G1.50mm	Caruana		<u>0.28,2</u>	
6.5	32mm	(1 1/4")	x	32mm	(1 1/4")	x	G1.50mm	Caruana		<u>0.34,5</u>	
6.6	38mm	(1 1/2")	x	38mm	(1 1/2")	x	G1.50mm	Caruana		<u>0.48,0</u>	
6.7	50mm	(2")	x	25mm	(1")	x	G1.25mm	Caruana		<u>0.44,5</u>	
6.8	50mm	(2")	x	25mm	(1")	x	G1.50mm	Caruana		<u>0.44,0</u>	
6.9	50mm	(2")	x	50mm	(2")	x	G1.50mm	Caruana		<u>0.60,0</u>	
6.10	50mm	(2")	x	100mm	(4")	x	G1.50mm	Transmec		<u>1.34,0</u>	
6.11	50mm	(2")	x	100mm	(4")	x	G2.50mm	Caruana		<u>1.36,0</u>	
6.12	65mm	(2 1/2")	x	38mm	(1 1/2")	x	G1.50mm	Caruana		<u>0.62,5</u>	
6.13	65mm	(2 1/2")	x	65mm	(2 1/2")	x	G1.50mm	Transmec		<u>0.96,0</u>	
6.14	75mm	(3")	x	75mm	(3")	x	G1.50mm	Caruana		<u>1.35,0</u>	

7. BRASS ROUND SECTION

7.1	6mm	(1/4")	diameter	Transmec	@ Lm	<u>0.46,0</u>	per metre
7.2	10mm	(3/8")	diameter	Not awarded			
7.3	12mm	(1/2")	diameter	Not awarded			
7.4	16mm	(5/8")	diameter	Transmec		<u>3.24,0</u>	
7.5	19mm	(3/4")	diameter	Transmec		<u>4.58,0</u>	
7.6	25mm	(1")	diameter	Transmec		<u>8.05,0</u>	
7.7	38mm	(1 1/2")	diameter	Transmec		<u>19.27,0</u>	
7.8	45mm	(1 3/4")	diameter	Transmec		<u>24.25,0</u>	
7.9	50mm	(2")	diameter	Transmec		<u>36.97,0</u>	

8 STEEL PLATES CHEQUERED

8.1	2.44m (8')	x	1.22m (4')	X	6mm (1/4")	Caruana	@ Lm	<u>27.50,0</u>	p. plate
8.2	2.44m (8')	x	1.22m (4')	X	5mm (3/16")	Caruana		<u>24.00,0</u>	

9. SHEETS ELECTRO GALVANISED

9.1	2.44m (8')	x	1.22m (4')	x	0.71mm	Transmec	<u>7.40,0</u>	p.sheet
9.2	2.44m (8')	x	1.22m (4')	x	1mm	Transmec	<u>8.95,0</u>	

10. SHEETS GALVANISED

Size 1.8m (6') x 0.9m (3')

10.1	G14 (2.0mm)	Caruana	@ Lm	<u>10.50,0</u>	Per sheet
10.2	G16 (1.5mm)	Polidano		<u>6.38,0</u>	
10.3	G 20 (1.0mm)	Caruana		<u>4.50,0</u>	
10.4	G 24 (0.6mm)	Caruana		<u>4.50,0</u>	
10.5	G 26 (0.5mm)	Caruana		<u>3.30,0</u>	

Size 1.8m (6') x 1.22m (4')

10.6	G 14 (2.0mm)	Caruana	@ Lm	<u>15.00,0</u>	per sheet
10.7	G16 (1.5mm)	Caruana		<u>10.00,0</u>	

Size 2.1m (7') x 0.6m (2')

10.8	G 16 (1.5mm)	Polidano	@ Lm	<u>6.22,0</u>	per sheet
10.9	G 20 (1.0mm)	Caruana		<u>9.00,0</u>	

10 SHEET GALVANISED (Cont'd)

Size 2.1m (7') x 0.6m (2')

10.10 G 20 (1.0mm) Caruana @ Lm 6.75,0 per sheet

Size 2.1m (7') x 0.9m (3')

10.11 G16 (1.5mm) Polidano @ Lm 9.26,0 per sheet

Size 2.4m (8') x 0.6m (2')

10.12 G16 (1.5mm) Transmec @ Lm 6.15,0 per sheet

Size 2.4m (8') x 0.8m (2 1/2')

10.13 G14 (2.0mm) Caruana @ Lm 8.50,0 per sheet

10.14 G16 (1.5mm) Transmec 8.05,0

Size 2.4m (8') x 0.9m (3')

10.15 G14 (2.0mm) Caruana @ Lm 13.00,0 per sheet

10.16 G16 (1.5mm) Caruana 8.10,0

Size 2.4m (8') x 1.22m (4')

10.17 G14 (2.0mm) Caruana @ Lm 13.00,0 per sheet

10.18 G16 (1.5mm) Transmec 9.45,0

10.19 G20 (1.0mm) Caruana 6.75,0

10.20 G22 (0.8mm) Caruana 5.60,0

10.21 G24 (0.6mm) Transmec 5.49,0

10.22 G26 (0.5mm) Caruana 6.50,0

Size 3.05m (10') x 0.9m (3')

10.23 G16 (1.5mm) Caruana @ Lm 10.50,0 per sheet

11. EXPANDED METAL STEEL SHEETS (FLATTENED)

Size 2.4m (8') x 1.22m (4')

11.1 Mesh 40mm x 18mm Caruana @ Lm 9.70,0 per sheet

Strands 4.5mm x 3mm

11.2 Mesh 75mm x 30mm Transmec @ Lm 7.25,0

Strands 4mm x 2mm

11.3 Mesh 34mm x 9mm Transmec @ Lm 7.25,0

Strands 2.4mm x 1mm

12. MILD STEEL SHEET/ PLATES

1.8m (6') x 0.9m (3')

12.1	0.79mm	(1/32")	Transmec	@	Lm	<u>4.00,0</u>	per sheet
12.2	1.60mm	(1/16")	Caruana			<u>7.50,0</u>	
12.3	3.00mm	(1/8")	Caruana			<u>8.85,0</u>	
12.4	5.00mm	(3/16")	Caruana			<u>14.85,0</u>	
12.5	6.00mm	(1/4")	Caruana			<u>18.45,0</u>	
12.6	10.00mm	(3/8")	Caruana			<u>29.00,0</u>	
12.7	12.00mm	(1/2")	Caruana			<u>38.00,0</u>	
12.8	16.00mm	(5/8")	Caruana			<u>55.00,0</u>	
12.9	19.00mm	(3/4")	Caruana			<u>80.00,0</u>	

13. 1.8m (6') x 1.2m (4')

13.1	1.6 mm	(1/16")	Caruana	@	Lm	<u>6.70,0</u>	per sheet
13.2	3 mm	(1/8")	Caruana			<u>8.70,0</u>	
13.3	5 mm	(3/16")	Caruana			<u>20.00,0</u>	
13.4	6 mm	(1/4")	Caruana			<u>21.85,0</u>	
13.5	10 mm	(3/8")	Caruana			<u>35.94,0</u>	
13.6	12 mm	(1/2")	Caruana			<u>44.60,0</u>	
13.7	16mm	(5/8")	Caruana			<u>72.00,0</u>	
13.8	19mm	(3/4")	Caruana			<u>94.00,0</u>	

MILD STEEL SHEET/ PLATES (Cont'd)

14. 2.4m (8') x 0.9m (3')

14.1	1.6mm	(1/16")	Caruana	@	Lm	<u>6.50,0</u>	per sheet
14.2	3.0mm	(1/8")	Caruana	@		<u>9.50,0</u>	
14.3	5.0mm	(3/16")	Caruana	@		<u>16.40,0</u>	
14.4	6.0mm	(1/4")	Caruana	@		<u>20.00,0</u>	
14.5	10mm	(3/8")	Caruana	@		<u>34.75,0</u>	
14.6	12mm	(1/2")	Caruana	@		<u>45.00,0</u>	
14.7	16mm	(5/8")	Caruana	@		<u>72.00,0</u>	
14.8	19mm	(3/4")	Caruana	@		<u>100.00,0</u>	

15. 2.4m (8') x 1.2m (4')

15.1	1.6mm	(1/16")	Caruana	@	Lm	<u>8.90,0</u>	per sheet
15.2	3.0mm	(1/8")	Caruana	@		<u>11.75,0</u>	
15.3	5.0mm	(3/16")	Caruana	@		<u>21.00,0</u>	
15.4	6.0mm	(1/4")	Caruana	@		<u>25.00,0</u>	
15.5	10mm	(3/8")	Caruana	@		<u>40.00,0</u>	
15.6	12mm	(1/2")	Caruana	@		<u>54.00,0</u>	
15.7	16mm	(5/8")	Caruana	@		<u>80.00,0</u>	
15.8	19mm	(3/4")	Caruana	@		<u>118.00,0</u>	

16. CHANNEL BARS

16.1	50mm	(2")	x	25mm	(1")	x	5mm	(3/16")	Caruana	@	Lm	<u>0.73,0</u>	per
16.2	75mm	(3")	x	38mm	(1½")	x	6mm	(1/4")	Caruana	@		<u>1.35,0</u>	mtr
16.3	100mm	(4")	x	38mm	(1½")	x	6mm	(1/4")	Caruana	@		<u>1.80,0</u>	
16.4	100mm	(4")	x	50mm	(2")	x	5mm	(3/16")	Caruana	@		<u>1.80,0</u>	
16.5	125mm	(5")	x	75mm	(3")	x	8mm	(5/16")	Transmec	@		<u>2.13,0</u>	
16.6	150mm	(6")	x	75mm	(3")	x	12mm	(1/2")	Caruana	@		<u>3.20,0</u>	
16.7	203mm	(8")	x	75mm	(3")	x	12mm	(1/2")	Caruana	@		<u>4.75,0</u>	

17. 'Z' IRON

Caruana @ Lm 2.50,0 per metre

18. 'H' IRON

Caruana @ Lm 1.75,0 per metre