

Department of Contracts
Notre Dame Ravelin
Floriana

27th December 2004

To Heads of Department
and Parastatal Bodies

Mild Steel Bars, Angles, Plates and Hollow Sections – 2005

1. Heads of Department and Accounting Officers are hereby informed that the contract for the supply and delivery of Mild Steel Bars, Angles, Plates and Hollow Sections to Government Departments and Parastatal Bodies, as and when required, has been placed with the contractors shown below for the items and at the prices indicated on the attached Schedule. Prices are inclusive of all charges and taxes including 18% VAT.

- a) M/S Joseph Caruana Co. Ltd.
Caruana Bldg.
Mgarr Road
Victoria
Gozo

Tel: 21560019
VAT No.: 1162-7308

- b) M/S Transmec Services Ltd.
Wied il-Ghasel
Burmarrad SPG 08

Tel: 21580908
VAT No.: 1199-5914

...../.....

.... cont. Circ 80/2004

2. Payments to contractors are not to be made until further notice.
3. This contract shall run from the 2nd January 2005 up to the 31st December 2005.
4. The attention of Heads of Department is drawn to Clauses 5 and 6 of the attached Specifications and Conditions regulating this contract.
5. This contract is also governed by the usual 'General Conditions of Contract for the Supply of Goods and Materials under a Running Period Contract.'

E Zarb
Director General (Contracts)

THE SCHEDULE - 2005

1. Mild Steel Bars - Machineable Quality

ROUND

				@	Lm		per metre
1.1	5mm	(3/16")	Caruana			0.08,0	
1.2	6mm	(1/4")	Transmec			0.07,3	
1.3	8mm	(5/16")	Caruana			0.09,5	
1.4	10mm	(3/8")	Caruana			0.18,6	
1.5	12mm	(1/2")	Caruana			0.26,3	
1.6	14mm	(9/16")	Caruana			0.36,0	
1.7	16mm	(3/8")	Caruana			0.46,7	
1.8	19mm	(3/4")	Caruana			0.59,0	
1.9	22mm	(7/8")	Caruana			0.90,0	
1.10	25mm	(1")	Caruana			1.13,0	
1.11	32mm	(1 1/4")	Caruana			1.66,0	
1.12	38mm	(1 1/2")	Caruana			2.96,0	
1.13	50mm	(2")	Caruana			4.62,0	
1.14	65mm	(2 1/2 ")	Caruana			6.66,0	
1.15	70mm	(2 3/4")	Caruana			10.57,0	
1.16	75mm	(3")	Caruana			13.82,0	

2. Mild Steel Bars - Machineable Quality

SQUARE

				@	Lm		per metre
2.1	6mm	(1/4")	Caruana			0.09,0	
2.2	8mm	(5/16")	Caruana			0.15,0	
2.3	10mm	(3/8")	Caruana			0.23,5	
2.4	12mm	(1/2")	Caruana			0.33,9	
2.5	16mm	(5/8")	Caruana			0.59,3	
2.6	19mm	(3/4")	Caruana			0.75,0	
2.7	25mm	(1")	Caruana			1.47,3	
2.8	32mm	(1 1/4")	Caruana			2.10,0	
2.9	38mm	(1 1/2")	Caruana			3.78,0	
2.10	50mm	(2")	Caruana			5.95,0	
2.11	65mm	(2 1/2")	Caruana			10.00,0	
2.12	70mm	(2 3/4")	Caruana			12.32,0	
2.13	75mm	(3")	Caruana			15.06,0	

3. Mild Steel Bars - Machineable Quality

FLAT

3.1	1.5mm	(1/16")	x	25mm	(1")	Caruana	@ Lm	<u>0.13,5</u>	per metre
3.2	3mm	(1/8")	x	12mm	(1/2")	Transmec		<u>0.09,2</u>	
3.3	3mm	(1/8")	x	16mm	(5/8")	Caruana		<u>0.12,5</u>	
3.4	3mm	(1/8")	x	19mm	(3/4")	Caruana		<u>0.14,2</u>	
3.5	3mm	(1/8")	x	25mm	(1")	Caruana		<u>0.17,7</u>	
3.6	3mm	(1/8")	x	32mm	(1 1/4")	Caruana		<u>0.22,6</u>	
3.7	3mm	(1/8")	x	38mm	(1 1/2")	Caruana		<u>0.30,2</u>	
3.8	3mm	(1/8")	x	45mm	(1 3/4")	Caruana		<u>0.37,0</u>	
3.9	3mm	(1/8")	x	50mm	(2")	Caruana		<u>0.37,7</u>	
3.10	5mm	(3/16")	x	16mm	(5/8")	Caruana		<u>0.19,0</u>	
3.11	5mm	(3/16")	x	19mm	(3/4")	Caruana		<u>0.23,8</u>	
3.12	5mm	(3/16")	x	25mm	(1")	Caruana		<u>0.29,5</u>	
3.13	5mm	(3/16")	x	32mm	(1 1/4")	Caruana		<u>0.35,4</u>	
3.14	5mm	(3/16")	x	38mm	(1 1/2")	Caruana		<u>0.47,1</u>	
3.15	5mm	(3/16")	x	45mm	(1 3/4")	Caruana		<u>0.53,3</u>	
3.16	5mm	(3/16")	x	50mm	(2")	Caruana		<u>0.58,8</u>	
3.17	6mm	(1/4")	x	12mm	(1/2")	*Transmec/Caruana		<u>0.18,5</u>	
3.18	6mm	(1/4")	x	16mm	(5/8")	Caruana		<u>0.22,8</u>	
3.19	6mm	(1/4")	x	19mm	(3/4")	Caruana		<u>0.28,3</u>	
3.20	6mm	(1/4")	x	25mm	(1")	Caruana		<u>0.34,9</u>	
3.21	6mm	(1/4")	x	32mm	(1 1/4")	Caruana		<u>0.41,6</u>	
3.22	6mm	(1/4")	x	38mm	(1 1/2")	Caruana		<u>0.56,0</u>	
3.23	6mm	(1/4")	x	45mm	(1 3/4")	Caruana		<u>0.63,6</u>	
3.24	6mm	(1/4")	x	50mm	(2")	Caruana		<u>0.69,7</u>	
3.25	6mm	(1/4")	x	65mm	(2 1/2")	Caruana		<u>0.83,7</u>	
3.26	6mm	(1/4")	x	75mm	(3")	Caruana		<u>1.11,5</u>	
3.27	6mm	(1/4")	x	88mm	(3 1/2")	Caruana		<u>1.26,0</u>	
3.28	6mm	(1/4")	x	100mm	(4")	Caruana		<u>1.39,0</u>	
3.29	8mm	(5/16")	x	25mm	(1")	Caruana		<u>0.47,5</u>	
3.30	8mm	(5/16")	x	32mm	(1 1/4")	Caruana		<u>0.56,5</u>	
3.31	8mm	(5/16")	x	38mm	(1 1/2")	Caruana		<u>0.75,5</u>	
3.32	8mm	(5/16")	x	50mm	(2")	Caruana		<u>0.94,5</u>	
3.33	8mm	(5/16")	x	65mm	(2 1/2")	Caruana		<u>1.15,0</u>	
3.34	8mm	(5/16")	x	100mm	(4")	Caruana		<u>1.90,0</u>	
3.35	10mm	(3/8")	x	25mm	(1")	Caruana		<u>0.60,0</u>	
3.36	10mm	(3/8")	x	32mm	(1 1/4")	Caruana		<u>0.71,0</u>	
3.37	10mm	(3/8")	x	38mm	(1 1/2")	Caruana		<u>0.95,0</u>	
3.38	10mm	(3/8")	x	45mm	(1 3/4")	Caruana		<u>1.20,0</u>	

*Quantity equally divided between

cont. Mild Steel Bars - Machineable Quality

FLAT

3.39	10mm	(3/8")	x	50mm	(2")	Caruana		<u>1.20,0</u>	
3.40	10mm	(3/8")	x	65mm	(2 1/2")	Caruana		<u>1.45,0</u>	
3.41	10mm	(3/8")	x	75mm	(3")	Caruana	@ Lm	<u>1.89,0</u>	per metre
3.42	10mm	(3/8")	x	125mm	(5")	Caruana		<u>3.00,0</u>	
3.43	12mm	(1/2")	x	25mm	(1")	Caruana		<u>0.71,0</u>	
3.44	12mm	(1/2")	x	32mm	(1 1/4")	Caruana		<u>0.85,0</u>	
3.45	12mm	(1/2")	x	38mm	(1 1/2")	Caruana		<u>1.15,0</u>	
3.46	12mm	(1/2")	x	45mm	(1 3/4")	Caruana		<u>1.42,0</u>	
3.47	12mm	(1/2")	x	50mm	(2")	Caruana		<u>1.42,0</u>	
3.48	12mm	(1/2")	x	65mm	(2 1/2")	Caruana		<u>1.70,0</u>	
3.49	12mm	(1/2")	x	75mm	(3")	Caruana		<u>2.28,0</u>	
3.50	12mm	(1/2")	x	100mm	(4")	Caruana		<u>2.28,0</u>	
3.51	19mm	(3/4")	x	75mm	(3")	Caruana		<u>4.00,0</u>	
3.52	19mm	(3/4")	x	100mm	(4")	Caruana		<u>5.00,0</u>	

4. Mild Steel Bars - Machineable Quality

ANGLE

4.1	12mm	(1/2")	x	12mm	(1/2")	x	3mm	(1/8")	Caruana	@Lm	<u>0.22,0</u>	per
4.2	19mm	(3/4")	x	19mm	(3/4")	x	3mm	(1/8")	Caruana		<u>0.27,0</u>	mtr
4.3	25mm	(1")	x	25mm	(1")	x	3mm	(1/8")	Caruana		<u>0.33,5</u>	
4.4	25mm	(1")	x	25mm	(1")	x	5mm	(3/16")	Caruana		<u>0.53,2</u>	
4.5	25mm	(1")	x	25mm	(1")	x	6mm	(1/4")	Caruana		<u>0.60,0</u>	
4.6	32mm	(1 1/4")	x	32mm	(1 1/4")	x	3mm	(1/8")	Caruana		<u>0.41,5</u>	
4.7	32mm	(1 1/4")	x	32mm	(1 1/4")	x	5mm	(3/16")	Caruana		<u>0.66,0</u>	
4.8	32mm	(1 1/4")	x	32mm	(1 1/4")	x	6mm	(1/4")	Caruana		<u>0.77,0</u>	
4.9	32mm	(1 1/4")	x	32mm	(1 1/4")	x	10mm	(3/8")	Caruana		<u>1.20,0</u>	
4.10	38mm	(1 1/2")	x	38mm	(1 1/2")	x	3mm	(1/8")	Transmec		<u>0.60,0</u>	
4.11	38mm	(1 1/2")	x	38mm	(1 1/2")	x	6mm	(1/4")	Caruana		<u>1.05,0</u>	
4.12	38mm	(1 1/2")	x	38mm	(1 1/2")	x	8mm	(5/16")	Caruana		<u>1.50,0</u>	
4.13	38mm	(1 1/2")	x	38mm	(1 1/2")	x	10mm	(3/8")	Caruana		<u>1.75,0</u>	
4.14	45mm	(1 3/4")	x	45mm	(1 3/4")	x	6mm	(1/4")	Caruana		<u>1.20,0</u>	
4.15	45mm	(1 3/4")	x	45mm	(1 3/4")	x	8mm	(5/16")	Caruana		<u>1.50,0</u>	
4.16	50mm	(2")	x	50mm	(2")	x	6mm	(1/4")	Caruana		<u>1.34,0</u>	
4.17	50mm	(2")	x	50mm	(2")	x	8mm	(5/16")	Caruana		<u>1.94,0</u>	
4.18	65mm	(2 1/2")	x	65mm	(2 1/2")	x	6mm	(1/4")	Caruana		<u>1.63,0</u>	

4.19	65mm (2 1/2")	x	65mm (2 1/2")	x	8mm (5/16")	Caruana	<u>2.15,0</u>
4.20	65mm (2 1/2")	x	65mm (2 1/2")	x	10mm (3/8")	Caruana	<u>2.62,0</u>
4.21	75mm (3")	x	75mm (3")	x	8mm (5/16")	Transmec	<u>2.96,0</u>
4.22	75mm (3")	x	75mm (3")	x	10mm (3/8")	Caruana	<u>3.60,0</u>
4.23	89mm (3 1/2")	x	89mm (3 1/2")	x	10mm (3/8")	Caruana	<u>4.55,0</u>
4.24	100mm (4")	x	100mm (4")	x	12mm (1/2")	Caruana	<u>5.50,0</u>

5. Mild Steel Bars - Machineable Quality
'T' IRON

5.1	19mm (3/4")	x	3mm (1/8")	thick	Caruana	@ Lm	<u>0.33,0</u>	per metre
5.2	25mm (1")	x	3mm (1/8")	thick	Caruana		<u>0.30,0</u>	
5.3	25mm (1")	x	5mm (3/16")	thick	Caruana		<u>0.50,0</u>	
5.4	25mm (1")	x	6mm (1/4")	thick	Caruana		<u>0.60,0</u>	
5.5	25mm (1")	x	8mm (5/16")	thick	Caruana		<u>1.00,0</u>	
5.6	25mm (1")	x	10mm (3/8")	thick	Caruana		<u>1.00,0</u>	
5.7	32mm (1 1/4")	x	3mm (1/8")	thick	Caruana		<u>1.25,0</u>	
5.8	32mm (1 1/4")	x	6mm (1/4")	thick	Caruana		<u>1.25,0</u>	
5.9	32mm (1 1/4")	x	8mm (5/16")	thick	Caruana		<u>1.50,0</u>	
5.10	32mm (1 1/4")	x	10mm (3/8")	thick	not awarded		/	
5.11	38mm (1 1/2")	x	3mm (1/8")	thick	not awarded		/	
5.12	38mm (1 1/2")	x	5mm (3/16")	thick	Caruana		<u>0.75,0</u>	
5.13	38mm (1 1/2")	x	6mm (1/4")	thick	Caruana		<u>0.90,0</u>	
5.14	38mm (1 1/2")	x	8mm (5/16")	thick	not awarded		/	
5.15	38mm (1 1/2")	x	10mm (3/8")	thick	not awarded		/	
5.16	45mm (1 3/4")	x	6mm (1/4")	thick	not awarded		/	
5.17	45mm (1 3/4")	x	8mm (5/16")	thick	not awarded		/	
5.18	45mm (1 3/4")	x	10mm (5/8")	thick	not awarded		/	
5.19	50mm (2")	x	5mm (3/16")	thick	Caruana		<u>1.25,0</u>	
5.20	50mm (2")	x	6mm (1/4")	thick	Caruana		<u>1.40,0</u>	
5.21	50mm (2")	x	8mm (5/16")	thick	Caruana		<u>1.85,0</u>	
5.22	50mm (2")	x	10mm (3/8")	thick	not awarded		/	
5.23	65mm (2 1/2")	x	6mm (1/4")	thick	Caruana		<u>3.00,0</u>	

MILD STEEL HOLLOW SECTION

6.1	19mm (3/4")	x	19mm (3/4")	x	G1.25mm	Transmec	@ Lm	<u>0.35,2</u>	per metre
6.2	19mm (3/4")	x	19mm (3/4")	x	G1.50mm	Transmec		<u>0.35,5</u>	
6.3	25mm (1")	x	25mm (1")	x	G1.25mm	Transmec		<u>0.45,0</u>	
6.4	25mm (1")	x	25mm (1")	x	G1.50mm	Transmec		<u>0.45,5</u>	
6.5	32mm (1 1/4")	x	32mm (1 1/4")	x	G1.50mm	Transmec		<u>0.54,1</u>	
6.6	38mm (1 1/2")	x	38mm (1 1/2")	x	G1.50mm	Transmec		<u>0.73,2</u>	
6.7	50mm (2")	x	25mm (1")	x	G1.25mm	Transmec		<u>0.69,0</u>	
6.8	50mm (2")	x	25mm (1")	x	G1.50mm	Transmec		<u>0.69,5</u>	
6.9	50mm (2")	x	50mm (2")	x	G1.50mm	Transmec		<u>0.92,0</u>	
6.10	50mm (2")	x	100mm (4")	x	G1.50mm	Transmec		<u>1.65,0</u>	
6.11	50mm (2")	x	100mm (4")	x	G2.50mm	Transmec		<u>1.70,0</u>	
6.12	65mm (2 1/2")	x	38mm (1 1/2")	x	G1.50mm	Transmec		<u>0.92,0</u>	
6.13	65mm (2 1/2")	x	65mm (2 1/2")	x	G1.50mm	Transmec		<u>1.50,0</u>	
6.14	75mm (3")	x	75mm (3")	x	G1.50mm	Caruana		<u>2.75,0</u>	

7. BRASS ROUND SECTION

7.1	6mm	(1/4")	diameter	not awarded	@ Lm	<u>/</u>	per metre
7.2	10mm	(3/8")	diameter	not awarded		<u>/</u>	
7.3	12mm	(1/2")	diameter	not awarded		<u>/</u>	
7.4	16mm	(5/8")	diameter	not awarded		<u>/</u>	
7.5	19mm	(3/4")	diameter	not awarded		<u>/</u>	
7.6	25mm	(1")	diameter	not awarded		<u>/</u>	
7.7	38mm	(1 1/2")	diameter	not awarded		<u>/</u>	
7.8	45mm	(1 3/4")	diameter	not awarded		<u>/</u>	
7.9	50mm	(2")	diameter	not awarded		<u>/</u>	

8 STEEL PLATES CHEQUERED

8.1	2.44m (8')	x	1.22m (4')	x	6mm (1/4")	Transmec	@ Lm	<u>43.00,0</u>	p. plate
8.2	2.44m (8')	x	1.22m (4')	x	5mm (3/16")	Transmec		<u>31.00,0</u>	

9. SHEETS ELECTRO GALVANISED

9.1	2.44m (8')	x	1.22m (4')	x	0.71mm	Transmec	<u>7.90,0</u>	p.sheet
9.2	2.44m (8')	x	1.22m (4')	x	1mm	Transmec	<u>9.55,0</u>	

10. SHEETS GALVANISED

Size 1.8m (6') x 0.9m (3')

10.1	G 14	(2mm)	not awarded	@	Lm	/	per sheet
10.2	G 16	(1.5mm)	Transmec			<u>8.85,0</u>	
10.3	G 20	(1mm)	Transmec			<u>6.00,0</u>	
10.4	G 24	(0.6mm)	not awarded			/	
10.5	G 26	(0.5mm)	not awarded			/	

Size 1.8m (6') x 1.22m (4')

10.6	G 14	(2mm)	Caruana	@	Lm	<u>18.75,0</u>	per sheet
10.7	G 16	(1.5mm)	Caruana			<u>14.00,0</u>	

Size 2.1m (7') x 0.6m (2')

10.8	G 16	(1.5mm)	Caruana	@	Lm	<u>14.00,0</u>	per sheet
10.9	G 20	(1mm)	Caruana			<u>9.00,0</u>	

10 SHEET GALVANISED (Cont'd)

Size 2.1m (7') x 0.6m (2')

10.10	G 20	(1mm)	Caruana	@	Lm	9.00,0	per sheet
-------	------	-------	---------	---	----	--------	-----------

Size 2.1m (7') x 0.9m (3')

10.11	G 16	(1.5mm)	Caruana	@	Lm	12.00,0	per sheet
-------	------	---------	---------	---	----	---------	-----------

Size 2.4m (8') x 0.6m (2')

10.12	G 16	(1.5mm)	Transmec	@	Lm	<u>7.40,0</u>	per sheet
-------	------	---------	----------	---	----	---------------	-----------

Size 2.4m (8') x 0.8m (2 1/2')

10.13	G 14 (2mm)	Transmec	@	Lm	<u>11.10,0</u>	per sheet
10.14	G 16 (1.5mm)	Transmec			<u>9.15,0</u>	

Size 2.4m (8') x 0.9m (3')

10.15	G 14 (2mm)	Transmec	@	Lm	<u>10.90,0</u>	per sheet
10.16	G 16 (1.5mm)	Transmec			<u>10.00,0</u>	

Size 2.4m (8') x 1.22m (4')

10.17	G 14 (2mm)	Caruana	@	Lm	<u>18.75,0</u>	per sheet
10.18	G 16 (1.5mm)	Transmec			<u>13.86,0</u>	
10.19	G 20 (1mm)	Caruana			<u>9.00,0</u>	
10.20	G 22 (0.8mm)	Caruana			<u>8.00,0</u>	
10.21	G 24 (0.6mm)	Transmec			<u>5.95,0</u>	
10.22	G 26 (0.5mm)	Caruana			<u>7.80,0</u>	

Size 3.05m (10') x 0.9m (3')

10.23	G 16 (1.5mm)	Transmec	@	Lm	<u>11.75,0</u>	per sheet
-------	--------------	----------	---	----	----------------	-----------

11. EXPANDED METAL STEEL SHEETS (FLATTENED)

Size 2.4m (8') x 1.22m (4')

11.1	Mesh 40mm x 18mm Strands 4.5mm x 3mm	Caruana	@	Lm	11.00,0	per sheet
11.2	Mesh 75mm x 30mm Strands 4mm x 2mm	Transmec	@	Lm	7.50,0	
11.3	Mesh 34mm x 9mm Strands 2.4mm x 1mm	not awarded	@	Lm	_____/____	

12. MILD STEEL SHEET/ PLATES1.8m (6') x 0.9m (3')

12.1	0.79mm	(1/32")	not awarded	@	Lm	/	per sheet
12.2	1.6mm	(1/16")	not awarded			/	
12.3	3mm	(1/8")	not awarded			/	
12.4	5mm	(3/16")	not awarded			/	
12.5	6mm	(1/4")	not awarded			/	
12.6	10mm	(3/8")	not awarded			/	
12.7	12mm	(1/2")	not awarded			/	
12.8	16mm	(5/8")	not awarded			/	
12.9	19mm	(3/4")	not awarded			/	

13. 1.8m (6') x 1.2m (4')

13.1	1.6mm	(1/16")	Caruana	@	Lm	14.50,0	per sheet
13.2	3mm	(1/8")	Caruana			25.00,0	
13.3	5mm	(3/16")	Caruana			40.00,0	
13.4	6mm	(1/4")	Caruana			50.00,0	
13.5	10mm	(3/8")	Caruana			80.00,0	
13.6	12mm	(1/2")	Caruana			96.00,0	
13.7	16mm	(5/8")	Caruana			130.00,0	
13.8	19mm	(3/4")	Caruana			165.00,0	

MILD STEEL SHEET/ PLATES (Cont'd)**14. 2.4m (8') x 0.9m (3')**

14.1	1.6mm	(1/16")	Caruana	@	Lm	14.50,0	per sheet
14.2	3mm	(1/8")	Caruana	@		25.00,0	
14.3	5mm	(3/16")	Caruana	@		39.00,0	
14.4	6mm	(1/4")	Caruana	@		49.00,0	
14.5	10mm	(3/8")	Caruana	@		78.00,0	
14.6	12mm	(1/2")	Caruana	@		96.00,0	
14.7	16mm	(5/8")	Caruana	@		125.00,0	
14.8	19mm	(3/4")	Caruana	@		150.00,0	

15. 2.4m (8') x 1.2m (4')

15.1	1.6mm	(1/16")	Transmec	@	Lm	<u>12.40,0</u>	per sheet
15.2	3mm	(1/8")	Transmec	@		<u>16.25,0</u>	
15.3	5mm	(3/16")	Transmec	@		<u>26.75,0</u>	
15.4	6mm	(1/4")	Transmec	@		<u>34.80,0</u>	
15.5	10mm	(3/8")	Caruana	@		<u>80.00,0</u>	
15.6	12mm	(1/2")	Caruana	@		<u>96.00,0</u>	
15.7	16mm	(5/8")	Caruana	@		<u>130.00,0</u>	
15.8	19mm	(3/4")	Caruana	@		<u>165.00,0</u>	

16. **CHANNEL BARS**

16.1	50mm	(2")	x	25mm	(1")	x	5mm	(3/16")	Transmec	@	Lm	<u>1.18,0</u>	per
16.2	75mm	(3")	x	38mm	(1½")	x	6mm	(1/4")	Caruana	@		<u>2.60,0</u>	mtr
16.3	100mm	(4")	x	38mm	(1½")	x	6mm	(1/4")	Caruana	@		<u>3.18,0</u>	
16.4	100mm	(4")	x	50mm	(2")	x	5mm	(3/16")	Caruana	@		<u>3.18,0</u>	
16.5	125mm	(5")	x	75mm	(3")	x	8mm	(5/16")	Transmec	@		<u>3.75,0</u>	
16.6	150mm	(6")	x	75mm	(3")	x	12mm	(1/2")	Caruana	@		<u>5.75,0</u>	
16.7	203mm	(8")	x	75mm	(3")	x	12mm	(1/2")	Caruana	@		<u>8.00,0</u>	

17. **'Z' IRON**

not awarded @ Lm ____/____ per metre

18. **'H' IRON**

not awarded @ Lm ____/____ per metre