

Department of Contracts  
Notre Dame Ravelin  
Floriana

23<sup>rd</sup> April 2004

To Heads of Department  
and Parastatal Bodies

**Period Contracts for Various Items of Stores: January to December 2005**

It is planned that period contracts for the supply of various items of stores required by Government during the year 2005 will be placed during the coming months.

Heads of Department and Parastatal Bodies are therefore requested to indicate, on the attached Schedule, their estimated requirements for such items for next year. These returns will enable this Department to issue appropriate calls for tenders. **Care is to be taken to ensure that these estimated quantities are as accurate as possible particularly as regards all qualities of paper which, as you are aware, have to be supplied with the water mark and, therefore, cannot be disposed of by the period contractor on the open market. All requirements indicated by Departments/Parastatal bodies for paper products will have to be purchased in full during the contract period.**

It is to be noted that separate returns in respect of items of wear will be requested by the Procurement Section of this Department in due course and therefore such requirements are not to be included in the returns relative to this circular.

Where any item is required to any particular standard, this is to be clearly explained and all relevant details should be provided.

Returns are to reach the Procurement Section of the Department of Contracts, at the above address, by not later than the end of May 2004.

Additional copies of the Schedule of Requirements are obtainable from the same Section.

.../...

Circular No:43/2004

Departments making use of period contracts are to note that to enable the Contracts Department to control the quantities being ordered under these contracts, a copy of the Goods or Service Purchase Order (ACC2) is to be forwarded to the Chief Procurement Officer, Procurement Section, Contracts Department, Notre Dame Ravelin, Floriana at the same time that the original is sent to supplier.

J V Spiteri  
Director General (Contracts)

**PERIOD CONTRACTS FOR VARIOUS ITEMS OF STORES REQUIREMENTS 2005**

Department \_\_\_\_\_

Name of Officer i/c Supplies \_\_\_\_\_  
(Block Letters)

Signature \_\_\_\_\_

Tel No.: \_\_\_\_\_ Fax No: \_\_\_\_\_ Date: \_\_\_\_\_

**1. CLEAR SHEET GLASS**

2mm (1/16") thick ..... square metres

3mm (1/8") thick .....

6mm (1/4") thick .....

**2. WIRED GLASS**

7mm thick ..... square metres

**3. GLASS HAMMERED**

4mm thick ..... square metres

**4. PUTTY (SUITABLE FOR BOTH WOOD FRAMES & METAL CASEMENTS)**

Containers of 50 Kgs ..... No.

Containers of 25 Kgs. ....

Containers of 12.5 Kgs. ....

## 5. **BATTERIES**

Departments are to indicate the type of battery required that is, whether Type A (for petrol driven engine) or type B (for heavy duty/diesel driven engine). The approximate measurements of the length, breath and height of the batteries required especially for plant/equipment of heavy vehicles are to be given. Whenever standard sizes of batteries are required these should be listed in the appropriate column. Furthermore full and clear details of batteries which are required to any particular specifications should be provided.

| <b>Volts</b> | <b>Amps</b> | <b>Type<br/>A or B</b> | <b>Standard<br/>Size</b> | <b>Non-Standard Size approx.<br/>Measurements:<br/>length x breadth x height</b> | <b>Qty</b> |
|--------------|-------------|------------------------|--------------------------|--|------------|
| 6            | 30          |                        |                          |  |            |
| 6            | 75          |                        |                          |  |            |
| 6            | 90          |                        |                          |  |            |
| 6            | 100         |                        |                          |  |            |
| 6            | 115         |                        |                          |  |            |
| 6            | 120         |                        |                          |  |            |
| 6            | 130         |                        |                          |  |            |
| 6            | 140         |                        |                          |  |            |
| 6            | 160         |                        |                          |  |            |
| 6            | 180         |                        |                          |  |            |
| 6            | 200         |                        |                          |  |            |
| 12           | 25          |                        |                          |  |            |
| 12           | 48          |                        |                          |  |            |
| 12           | 60          |                        |                          |  |            |
| 12           | 70          |                        |                          |  |            |
| 12           | 75          |                        |                          |  |            |
| 12           | 90          |                        |                          |  |            |

| Volts | Amps          | Type<br>A or B | Standard<br>Size | Non-Standard Size approx.<br>Measurements:<br>length x breadth x height | Qty |
|-------|---------------|----------------|------------------|---|-----|
| 12    | 115           |                |                  |   |     |
| 12    | 120           |                |                  |   |     |
| 12    | 125           |                |                  |   |     |
| 12    | 125<br>(long) |                |                  |   |     |
| 12    | 125<br>(sqr)  |                |                  |   |     |
| 12    | 135<br>(long) |                |                  |   |     |
| 12    | 150           |                |                  |   |     |
| 12    | 170           |                |                  |   |     |
| 12    | 180           |                |                  |   |     |

6. **TOWELS** ..... No.

7. **TOILET PAPER** ..... rolls

8. **MILD STEEL BARS (MACHINEABLE QUALITY) ROUND**

|              |       |      |               |       |      |
|--------------|-------|------|---------------|-------|------|
| 5mm (3/16")  | ..... | mtrs | 6mm (1/4")    | ..... | mtrs |
| 8mm (5/16")  | ..... |      | 10mm (3/8")   | ..... |      |
| 11mm (7/16") | ..... |      | 12mm (1/2")   | ..... |      |
| 14mm (9/16") | ..... |      | 16mm (5/8")   | ..... |      |
| 19mm (3/4")  | ..... |      | 22mm (7/8")   | ..... |      |
| 25mm (1")    | ..... |      | 32mm (1 3/4") | ..... |      |

|               |       |               |       |
|---------------|-------|---------------|-------|
| 50mm (2")     | ..... | 38mm (1 1/2") | ..... |
| 70mm (2 3/4") | ..... | 65mm (2 1/2") | ..... |
| 75mm (3")     | ..... |               |       |

## 9. MILD STEEL BARS (MACHINEABLE QUALITY) SQUARE

|               |       |      |               |       |      |
|---------------|-------|------|---------------|-------|------|
| 6mm (1/4")    | ..... | mtrs | 8mm (5/16")   | ..... | mtrs |
| 10mm (3/8")   | ..... |      | 12mm (1/2")   | ..... |      |
| 16mm (5/8")   | ..... |      | 19mm (3/4")   | ..... |      |
| 25mm (1")     | ..... |      | 32mm (1 3/4") | ..... |      |
| 38mm (1 1/2") | ..... |      | 50mm (2")     | ..... |      |
| 65mm (2 1/2") | ..... |      | 70mm (2 3/4") | ..... |      |

## 10. MILD STEEL (MACHINEABLE QUALITY) FLAT

|               |   |               |       |      |
|---------------|---|---------------|-------|------|
| 1.5mm (1/16") | x | 25mm (1")     | ..... | mtrs |
| 3mm (1/8")    | x | 12mm (1/2")   | ..... |      |
| 3mm (1/8")    | x | 16mm (5/8")   | ..... |      |
| 3mm (1/8")    | x | 19mm (3/4")   | ..... |      |
| 3mm (1/8")    | x | 32mm (1 1/4") | ..... |      |
| 3mm (1/8")    | x | 38mm (1 1/2") | ..... |      |
| 3mm (1/8")    | x | 45mm (1 3/4") | ..... |      |
| 3mm (1/8")    | x | 50mm (2")     | ..... |      |
| 5mm (3/16")   | x | 16mm (5/8")   | ..... |      |
| 5mm (3/16")   | x | 19mm (3/4")   | ..... |      |
| 5mm (3/16")   | x | 25mm (1")     | ..... |      |
| 5mm (3/16")   | x | 32mm (1 1/4") | ..... |      |
| 5mm (3/16")   | x | 38mm (1 1/2") | ..... |      |

|             |   |               |       |
|-------------|---|---------------|-------|
| 5mm (3/16") | x | 45mm (1 3/4") | ..... |
| 5mm (3/16") | x | 50mm (2")     | ..... |
| 6mm (1/4")  | x | 12mm (1/2")   | ..... |
| 6mm (1/4")  | x | 16mm (5/8")   | ..... |
| 6mm (1/4")  | x | 19mm (3/4")   | ..... |
| 6mm (1/4")  | x | 25mm (1")     | ..... |
| 6mm (1/4")  | x | 32mm (1 1/2") | ..... |
| 6mm (1/4")  | x | 12mm (1 1/4") | ..... |
| 6mm (1/4")  | x | 38mm (1 1/2") | ..... |
| 6mm (1/4")  | x | 45mm (1 3/4") | ..... |
| 6mm (1/4")  | x | 50mm (2")     | ..... |
| 6mm (1/4")  | x | 35mm (2 1/2") | ..... |
| 6mm (1/4")  | x | 75mm (3")     | ..... |
| 6mm (1/4")  | x | 88mm (3 1/2") | ..... |
| 6mm (1/4")  | x | 100mm (4")    | ..... |
| 8mm (5/16") | x | 38mm (1 1/4") | ..... |
| 8mm (5/16") | x | 50mm (2")     | ..... |
| 8mm (5/16") | x | 65mm (2 1/2") | ..... |
| 10mm (3/8") | x | 25mm (1")     | ..... |
| 10mm (3/8") | x | 32mm (1 1/4") | ..... |
| 10mm (3/8") | x | 38mm (1 1/2") | ..... |
| 10mm (3/8") | x | 45mm (1 3/4") | ..... |
| 10mm (3/8") | x | 50mm (2")     | ..... |
| 10mm (3/8") | x | 65mm (2 1/2") | ..... |
| 10mm (3/8") | x | 75mm (3")     | ..... |
| 12mm (1/2") | x | 25mm (1")     | ..... |
| 12mm (1/2") | x | 32mm (1 1/4") | ..... |
| 12mm (1/2") | x | 38mm (1 1/2") | ..... |

|             |   |               |       |
|-------------|---|---------------|-------|
| 12mm (1/2") | x | 45mm (1 3/4") | ..... |
| 12mm (1/2") | x | 50mm (2")     | ..... |
| 12mm (1/2") | x | 65mm (2 1/2") | ..... |
| 12mm (1/2") | x | 75mm (3")     | ..... |
| 19mm (3/4") | x | 75mm (3")     | ..... |
| 19mm (3/4") | x | 100mm (4")    | ..... |

## 11. MILD STEEL HOLLOW SECTIONS

|              |   |               |   |         |            |
|--------------|---|---------------|---|---------|------------|
| 19mm(3/4")   | x | 19mm(3/4")    | x | G1.25mm | ..... mtrs |
| 19mm(3/4")   | x | 19mm(3/4")    | x | G1.50mm | .....      |
| 25mm (1")    | x | 25mm(1")      | x | G1.25mm | .....      |
| 25mm (1")    | x | 25mm(1")      | x | G1.50mm | .....      |
| 32mm(1 1/4") | x | 32mm(1 1/4")  | x | G1.50mm | .....      |
| 38mm(1 1/2") | x | 38mm(1 1/2")  | x | G1.50mm | .....      |
| 50mm (2")    | x | 25mm (1")     | x | G1.25mm | .....      |
| 50mm (2")    | x | 25mm (1")     | x | G1.50mm | .....      |
| 50mm (2")    | x | 50mm (2")     | x | G1.50mm | .....      |
| 50mm (2")    | x | 100mm (4")    | x | G1.50mm | .....      |
| 65mm(2 1/2") | x | 38mm (1 1/2") | x | G1.55mm | .....      |
| 75mm (3")    | x | 75mm (3")     | x | G1.50mm | .....      |

## 12. MILD STEEL SHEET/PLATE – 1.8m (6Ft.) x 0.9m (3Ft.)

|                |       |        |             |       |        |
|----------------|-------|--------|-------------|-------|--------|
| 0.79mm (1/32") | ..... | sheets | 6mm (1/4")  | ..... | sheets |
| 1.6mm (1/16")  | ..... |        | 10mm (3/8") | ..... |        |
| 3mm (1/8")     | ..... |        | 12mm (1/2") | ..... |        |
| 5mm (3/16")    | ..... |        | 16mm (5/8") | ..... |        |
| 19mm (3/4")    | ..... |        |             |       |        |



**MILD STEEL SHEET/PLATE – 1.8M (6Ft.) x 1.2m (4 Ft.)**

|       |         |       |        |      |        |       |        |
|-------|---------|-------|--------|------|--------|-------|--------|
| 1.6mm | (1/16") | ..... | sheets | 10mm | (3/8") | ..... | sheets |
| 3mm   | (1/8")  | ..... |        | 12mm | (1/2") | ..... |        |
| 5mm   | (3/16") | ..... |        | 16mm | (5/8") | ..... |        |
| 6mm   | (1/4")  | ..... |        | 19mm | (3/4") | ..... |        |

**MILD STEEL SHEET/PLATE – 2.4m (8Ft. x 0.9m (3Ft.)**

|       |         |       |        |      |        |       |        |
|-------|---------|-------|--------|------|--------|-------|--------|
| 1.6mm | (1/16") | ..... | sheets | 10mm | (3/8") | ..... | sheets |
| 3mm   | (1/8")  | ..... |        | 12mm | (1/2") | ..... |        |
| 5mm   | (3/16") | ..... |        | 16mm | (5/8") | ..... |        |
| 6mm   | (1/4")  | ..... |        | 19mm | (3/4") | ..... |        |

**MILD STEEL SHEET/PLATE – 2.4m (8Ft.) x 1.2m (4Ft.)**

|       |         |       |        |      |        |       |        |
|-------|---------|-------|--------|------|--------|-------|--------|
| 1.6mm | (1/16") | ..... | sheets | 10mm | (3/8") | ..... | sheets |
| 3mm   | (1/8")  | ..... |        | 12mm | (1/2") | ..... |        |
| 5mm   | (3/16") | ..... |        | 16mm | (5/8") | ..... |        |
| 6mm   | (1/4")  | ..... |        | 19mm | (3/4") | ..... |        |

**13. MILD STEEL (MACHINEABLE QUALITY) ANGLE**

|               |   |               |   |             |       |      |
|---------------|---|---------------|---|-------------|-------|------|
| 19mm(3/4")    | x | 19mm(3/4")    | x | 3mm(1/8")   | ..... | mtrs |
| 25mm (1")     | x | 25mm (1")     | x | 3mm(1/8")   | ..... |      |
| 25mm (1")     | x | 25mm (1")     | x | 5mm (3/16") | ..... |      |
| 25mm (1")     | x | 25mm (1")     | x | 6mm (1/4")  | ..... |      |
| 32mm (1 1/4") | x | 32mm (1 1/4") | x | 3mm (1/8")  | ..... |      |
| 32mm (1 1/4") | x | 32mm (1 1/4") | x | 5mm (3/16") | ..... |      |
| 32mm (1 1/4") | x | 32mm (1 1/4") | x | 6mm (1/4")  | ..... |      |
| 32mm (1 1/4") | x | 32mm (1 1/4") | x | 10mm (3/8") | ..... |      |
| 38mm (1 1/2") | x | 38mm (1 1/2") | x | 3mm (1/8")  | ..... |      |
| 38mm (1 1/2") | x | 38mm (1 1/2") | x | 5mm (3/16") | ..... |      |
| 38mm (1 1/2") | x | 38mm (1 1/2") | x | 6mm (1/4")  | ..... |      |
| 38mm (1 1/2") | x | 38mm (1 1/2") | x | 8mm (5/16") | ..... |      |
| 38mm (1 1/2") | x | 30mm (1 1/2") | x | 10mm (3/8") | ..... |      |

|               |   |               |   |             |       |
|---------------|---|---------------|---|-------------|-------|
| 45mm (1 3/4") | x | 45mm (1 3/4") | x | 6mm (1/4")  | ..... |
| 45mm (1 3/4") | x | 45mm (1 3/4") | x | 8mm (5/16") | ..... |
| 50mm (2")     | x | 50mm (2")     | x | 5mm (3/16") | ..... |
| 50mm (2")     | x | 50mm (2")     | x | 6mm (1/4")  | ..... |
| 50mm (2")     | x | 50mm (2")     | x | 8mm (5/16") | ..... |
| 50mm (2")     | x | 50mm (2")     | x | 10mm (3/8") | ..... |
| 65mm(2 1/2")  | x | 65mm(2 1/2")  | x | 6mm (1/4")  | ..... |
| 65mm(2 1/2")  | x | 65mm(2 1/2")  | x | 8mm (5/16") | ..... |
| 65mm(2 1/2")  | x | 65mm(2 1/2")  | x | 10mm (3/8") | ..... |
| 75mm (3")     | x | 75mm (3")     | x | 8mm (5/16") | ..... |
| 75mm (3")     | x | 75mm (3")     | x | 10mm (3/8") | ..... |
| 89mm (3 1/2") | x | 89mm (3 1/2") | x | 8mm (5/16") | ..... |
| 89mm (3 1/2") | x | 89mm (3 1/2") | x | 10mm (3/8") | ..... |
| 100mm (4")    | x | 100mm (4")    | x | 12mm (1/2") | ..... |
| 125mm (5")    | x | 125mm (5")    | x | 12mm (1/2") | ..... |
| 152.5mm (6")  | x | 152.5mm (6")  | x | 12mm (1/2") | ..... |

#### **14. MILD STEEL BARS - MACHINEABLE QUALITY 'T' IRON**

|               |   |              |       |       |        |
|---------------|---|--------------|-------|-------|--------|
| 19mm (3/4")   | x | 3mm (1/8")   | thick | ..... | metres |
| 25mm (1")     | x | 3mm (1/8")   | thick | ..... |        |
| 25mm (1")     | x | 5mm (3/16")  | thick | ..... |        |
| 25mm (1")     | x | 6mm (1/4")   | thick | ..... |        |
| 25mm (1")     | x | 8mm (5/16")  | thick | ..... |        |
| 25mm (1")     | x | 10mm (3/8")  | thick | ..... |        |
| 32mm (1 1/4") | x | 3mm (1/8")   | thick | ..... |        |
| 32mm (1 1/4") | x | 5mm (3 1/6") | thick | ..... |        |
| 32mm (1 1/4") | x | 6mm (1/4")   | thick | ..... |        |
| 32mm (1 1/4") | x | 8mm (5 1/6") | thick | ..... |        |
| 32mm (1 1/4") | x | 10mm (3/8")  | thick | ..... |        |
| 38mm (1 1/2") | x | 3mm (1/8")   | thick | ..... |        |

|               |   |              |       |       |
|---------------|---|--------------|-------|-------|
| 38mm (1 1/2") | x | 5mm (3 1/6") | thick | ..... |
| 38mm (1 1/2") | x | 6mm (1/4")   | thick | ..... |
| 38mm (1 1/2") | x | 8mm (5 1/6") | thick | ..... |
| 38mm (1 1/2") | x | 10mm (3/8")  | thick | ..... |
| 45mm (1 3/4") | x | 3mm (1/8")   | thick | ..... |
| 45mm (1 3/4") | x | 5mm (3 1/6") | thick | ..... |
| 45mm (1 3/4") | x | 6mm (1/4")   | thick | ..... |
| 45mm (1 3/4") | x | 8mm (5 1/6") | thick | ..... |
| 45mm (1 3/4") | x | 10mm (3/8")  | thick | ..... |
| 50mm (2")     | x | 3mm (1/8")   | thick | ..... |
| 50mm (2")     | x | 5mm (3 1/6") | thick | ..... |
| 50mm (2")     | x | 6mm (1/4")   | thick | ..... |
| 50mm (2")     | x | 8mm (5/16")  | thick | ..... |
| 50mm (2")     | x | 10mm (3/8")  | thick | ..... |

#### **15. BRASS ROUND SECTION**

|               |          |       |        |
|---------------|----------|-------|--------|
| 6mm (1/4")    | diameter | ..... | metres |
| 12mm (1/2")   | diameter | ..... |        |
| 19mm (3/4")   | diameter | ..... |        |
| 25mm (1")     | diameter | ..... |        |
| 38mm (1 1/2") | diameter | ..... |        |

#### **16. CHANNEL BARS**

|            |   |             |   |             |       |      |
|------------|---|-------------|---|-------------|-------|------|
| 100mm (4") | x | 38mm 1 1/2" | x | 6mm (1/4")  | ..... | mtrs |
| 100mm (4") | x | 50mm 2"     | x | 5mm (3/16") | ..... | mtrs |
| 125mm (5") | x | 75mm 3"     | x | 8mm (5/16") | ..... | mtrs |
| 150mm (6") | x | 75mm 3"     | x | 12mm (1/2") | ..... | mtrs |
| 203mm (8") | x | 75mm 3"     | x | 10mm (3/8") | ..... | mtrs |

## **17. EXPANDED METAL STEEL SHEETS**

(Departments are required to indicate whether the sheets are required flattened)

Size of sheets - 2.4m (8") x 1.22m (4") - approx.

|                       |       |        |
|-----------------------|-------|--------|
| Mesh 25mm x 5mm       |       |        |
| Strands 2.4mm x 1mm   | ..... | sheets |
| Mesh 35mm x 10mm      |       |        |
| Strands 2.4mm x 1mm   | ..... | sheets |
| Mesh 40mm x 13mm      |       |        |
| Strands 2.4mm x 1.2mm | ..... | sheets |
| Mesh 60mm x 20mm      |       |        |
| Strands 3mm x 1.5mm   | ..... | sheets |
| Mesh 75mm x 25mm      |       |        |
| Strands 3mm x 2mm     | ..... | sheets |
| Mesh 115mm x 40mm     |       |        |
| Strands 3mm x 3mm     | ..... | sheets |

## **18. STEEL PLATES CHEQUERED**

|                                       |       |        |
|---------------------------------------|-------|--------|
| 2.44m (8') x 1.22m (4') x 6mm (1/4")  | ..... | sheets |
| 2.44m (8') x 1.22m (4') x 5mm (3/16") | ..... | sheets |

## **19. SHEETS ELECTRO GALVANISED**

|                                  |       |        |
|----------------------------------|-------|--------|
| 2.44m (8') x 1.22m (4') x 0.71mm | ..... | sheets |
| 2.44m (8') x 1.22m (4') x 1mm    | ..... | sheets |

**20. SHEETS GALVANISED**

Size 1.8m (6') x 0.9m (3')

|     |         |       |        |
|-----|---------|-------|--------|
| G16 | (1.5mm) | ..... | sheets |
| G20 | (1mm)   | ..... |        |
| G24 | (0.6mm) | ..... |        |
| G26 | (0.5mm) | ..... |        |

Size 1.8m (6') x 1.22m (4')

|     |         |       |        |
|-----|---------|-------|--------|
| G16 | (1.5mm) | ..... | sheets |
|-----|---------|-------|--------|

Size 2m (7') x 0.6m (2')

|     |         |       |  |
|-----|---------|-------|--|
| G16 | (1.5mm) | ..... |  |
| G20 | (1mm)   | ..... |  |

Size 2.1m (7') x 0.9m (3')

|     |         |       |  |
|-----|---------|-------|--|
| G16 | (1.5mm) | ..... |  |
|-----|---------|-------|--|

Size 2.4m (8') x 0.6 (2')

|     |         |       |  |
|-----|---------|-------|--|
| G16 | (1.5mm) | ..... |  |
|-----|---------|-------|--|

Size 2.4m in (8') x 0.8m (2 1/2")

|     |         |       |  |
|-----|---------|-------|--|
| G14 | (2mm)   | ..... |  |
| G16 | (1.5mm) | ..... |  |

Size 2.4m (8') x 0.9m (3')

|     |         |       |  |
|-----|---------|-------|--|
| G16 | (1.5mm) | ..... |  |
|-----|---------|-------|--|

Size 2.4m (8") x 1.22m (4')

|     |         |       |
|-----|---------|-------|
| G16 | (1.5mm) | ..... |
| G20 | (1mm)   | ..... |
| G22 | (0.8mm) | ..... |
| G24 | (0.6mm) | ..... |
| G26 | (0.5mm) | ..... |

Size 3.05m (10') x 0.9 (3')

|     |         |       |
|-----|---------|-------|
| G16 | (1.5mm) | ..... |
|-----|---------|-------|

21. 'Z' IRON ..... metres

22. 'H' IRON ..... metres

23. **CARBON STEEL BARS FOR CONCRETE REINFORCEMENT**  
**(Plain and Deformed)**

**Plain round bars grade 250**

|      |       |      |
|------|-------|------|
| 6mm  | ..... | Kgs. |
| 8mm  | ..... | Kgs. |
| 10mm | ..... | Kgs. |
| 12mm | ..... | Kgs. |
| 16mm | ..... | Kgs. |
| 20mm | ..... | Kgs. |
| 25mm | ..... | Kgs. |

**Deformed bars grade 460 type 2**

|      |       |      |
|------|-------|------|
| 6mm  | ..... | Kgs. |
| 8mm  | ..... | Kgs. |
| 10mm | ..... | Kgs. |

|      |       |      |
|------|-------|------|
| 12mm | ..... | Kgs. |
| 16mm | ..... | Kgs. |
| 20mm | ..... | Kgs. |
| 25mm | ..... | Kgs. |
| 32mm | ..... | Kgs. |

## 24. STEEL WIRE MESH FOR CONCRETE REINFORCEMENT

### **Reference B503**

|       |   |       |       |        |
|-------|---|-------|-------|--------|
| 3m    | x | 2.20m | ..... | Sheets |
| 3.40m | x | 2.20m | ..... | Sheets |
| 3.80m | x | 2.20m | ..... | Sheets |
| 4.40m | x | 2.20m | ..... | Sheets |
| 4.60m | x | 2.20m | ..... | Sheets |
| 4.80m | x | 2.20m | ..... | Sheets |
| 5.60m | x | 2.20m | ..... | Sheets |
| 6m    | x | 2.20m | ..... | Sheets |

### **Reference A 252**

|    |   |       |       |        |
|----|---|-------|-------|--------|
| 6m | x | 2.20m | ..... | Sheets |
|----|---|-------|-------|--------|

### **Reference A 98**

|       |   |       |       |        |
|-------|---|-------|-------|--------|
| 3m    | x | 2.20m | ..... | Sheets |
| 3.80m | x | 2.20m | ..... | Sheets |
| 4.40m | x | 2.20m | ..... | Sheets |
| 4.80m | x | 2.20m | ..... | Sheets |
| 6m    | x | 2.20m | ..... | Sheets |
| 73m   | x | 2.20m | ..... | rolls  |

### **Reference A142**

|       |   |       |       |        |
|-------|---|-------|-------|--------|
| 4.80m | x | 2.20m | ..... | Sheets |
|-------|---|-------|-------|--------|

## 25. RECTANGULAR PRECAST HOLLOW CONCRETE BLOCKS

Grade 'A'

Double 230mm (9") thick ..... no.

Grade 'B'

Single 230mm (9") thick ..... no.

Single 150mm (6") thick

Grade 'C'

Single 115mm (4 1/2") thick ..... no.

Single 63mm (2 1/2") thick

..... no.

## 26. READY MIXED CONCRETE

(a) Structural Concrete

|                    | <u>Malta</u> | <u>Gozo</u> |              |
|--------------------|--------------|-------------|--------------|
| Concrete Grade C20 |              |             | cubic metres |
| Concrete Grade C25 |              |             | cubic metres |
| Concrete Grade C30 |              |             | cubic metres |
| Concrete Grade C35 |              |             | cubic metres |
| Concrete Grade C40 |              |             | cubic metres |

(b) Mass Concrete

|                    | <u>Malta</u> | <u>Gozo</u> |              |
|--------------------|--------------|-------------|--------------|
| Concrete Grade C15 |              |             | cubic metres |
| Concrete Grade C20 |              |             | cubic metres |

(c) Underwater

|                    | <u>Malta</u> | <u>Gozo</u> |              |
|--------------------|--------------|-------------|--------------|
| Concrete Grade C20 |              |             | cubic metres |
| Concrete Grade C25 |              |             | cubic metres |



**27. WHITE DEAL**

A. Boards in standard lengths of 4 mtrs.

|            |       |     |
|------------|-------|-----|
| 19mm thick | ..... | CBM |
| 25mm thick | ..... | CBM |
| 32mm thick | ..... | CBM |
| 38mm thick | ..... | CBM |
| 48mm thick | ..... | CBM |

B. Scantlings in standard lengths of 4 mtrs.

|             |       |     |
|-------------|-------|-----|
| 48mm X 25mm | ..... | CBM |
| 64mm X 32mm | ..... | CBM |
| 64mm X 64mm | ..... | CBM |
| 75mm X 75mm | ..... | CBM |

**28. RED DEAL**

A Boards in standard lengths of 4 mtrs.

|            |       |     |
|------------|-------|-----|
| 19mm thick | ..... | CBM |
| 25mm thick | ..... | CBM |
| 32mm thick | ..... | CBM |
| 38mm thick | ..... | CBM |
| 48mm thick | ..... | CBM |

C. Scantlings in standard lengths of 4 mtrs.

|             |       |     |
|-------------|-------|-----|
| 48mm X 25mm | ..... | CBM |
| 64mm X 32mm | ..... | CBM |
| 64mm X 64mm | ..... | CBM |
| 75mm X 75mm | ..... | CBM |

**29. MAHOGANY BOARDS**

|            |       |     |
|------------|-------|-----|
| 19mm thick | ..... | CBM |
| 25mm thick | ..... | CBM |
| 38mm thick | ..... | CBM |
| 50mm thick | ..... | CBM |

**30. IROKO**

|            |       |     |
|------------|-------|-----|
| 25mm thick | ..... | CBM |
| 38mm thick | ..... | CBM |
| 50mm thick | ..... | CBM |
| 75mm thick | ..... | CBM |

**31. PARANA PINE**

|            |       |     |
|------------|-------|-----|
| 19mm thick | ..... | CBM |
| 25mm thick | ..... | CBM |
| 38mm thick | ..... | CBM |
| 50mm thick | ..... | CBM |

**32. FIBREBOARD (Hardboard)**

|                               |       |        |
|-------------------------------|-------|--------|
| 1.8m (6') x 1.22m (4') x 4mm  | ..... | sheets |
| 1.8m (6') x 1.22m (4') x 6mm  | ..... |        |
| 2.44m (8') x 1.22m (4') x 4mm | ..... |        |
| 2.44m (8') x 1.22m (4') x 6mm | ..... |        |

**33. CHIPBOARD PLAIN**

|                                |       |        |
|--------------------------------|-------|--------|
| 2.44m (8') x 1.83m (6') x 12mm | ..... | sheets |
| 2.44m (8') x 1.83m (6') x 16mm | ..... |        |
| 2.44m (8') x 1.83m (6') x 19mm | ..... |        |
| 2.44m (8') x 1.22m (4') x 16mm | ..... |        |
| 2.44m (8') x 1.22m (4') x 19mm | ..... |        |

**34. MERANTI BLOCKBOARD**

|                                |       |        |
|--------------------------------|-------|--------|
| 2.44m (8') x 1.22m (4') x 12mm | ..... | sheets |
| 2.44m (8') x 1.83m (6') x 16mm | ..... |        |
| 2.44m (8') x 1.22m (4') x 19mm | ..... |        |
| 2.44m (8') x 1.22m (4') x 25mm | ..... |        |

**35. MARINE PLYWOOD**

|                                |       |        |
|--------------------------------|-------|--------|
| 2.44m (8') x 1.22m (4') x 4mm  | ..... | sheets |
| 2.44m (8') x 1.22m (4') x 9mm  | ..... |        |
| 2.44m (8') x 1.22m (4') x 12mm | ..... |        |
| 2.44m (8') x 1.22m (4') x 15mm | ..... |        |
| 2.44m (8') x 1.22m (4') x 19mm | ..... |        |

**36. MERANTI PLYWOOD**

|                                |       |        |
|--------------------------------|-------|--------|
| 1.8m (6') x 1.22m (4') x 4mm   | ..... | sheets |
| 2.44m (8') x 1.22m (4') x 3mm  | ..... |        |
| 2.44m (8') x 1.22m (4') x 4mm  | ..... |        |
| 2.44m (8') x 1.22m (4') x 6mm  | ..... |        |
| 2.44m (8') x 1.22m (4') x 12mm | ..... |        |
| 2.44m (8') x 1.22m (4') x 15mm | ..... |        |
| 2.44m (8') x 1.22m (4') x 18mm | ..... |        |

**37. PORTLAND CEMENT (ORDINARY)**

|               |       |      |
|---------------|-------|------|
| Bags x 50 kgs | ..... | bags |
|---------------|-------|------|

**38. PAINTS**

**A. Plastic Emulsion Paint**

|             |       |           |       |           |
|-------------|-------|-----------|-------|-----------|
| Magnolia    | ..... | x 5 ltrs, | ..... | x 10 ltrs |
| White       | ..... | x 5 ltrs, | ..... | x 10 ltrs |
| Light Green | ..... | x 5 ltrs, | ..... | x 10 ltrs |
| Pale Green  | ..... | x 5 ltrs, | ..... | x 10 ltrs |

**B. Enamel Gloss**

|           |       |           |       |            |
|-----------|-------|-----------|-------|------------|
| Ivory     | ..... | x 5 ltrs, | ..... | x 2.5 ltrs |
| White     | ..... | x 5 ltrs, | ..... | x 2.5 ltrs |
| Black     | ..... | x 5 ltrs, | ..... | x 2.5 ltrs |
| Mist Grey | ..... | x 5 ltrs, | ..... | x 2.5 ltrs |
| Green     | ..... | x 5 ltrs, | ..... | x 2.5 ltrs |

**C. Enamel Undercoat**

|       |       |           |       |            |
|-------|-------|-----------|-------|------------|
| Ivory | ..... | x 5 ltrs, | ..... | x 2.5 ltrs |
| White | ..... | x 5 ltrs, | ..... | x 2.5 ltrs |
| Black | ..... | x 5 ltrs, | ..... | x 2.5 ltrs |
| Green | ..... | x 5 ltrs, | ..... | x 2.5 ltrs |

**D. Red Oxide Primer**

|       |           |       |            |
|-------|-----------|-------|------------|
| ..... | x 5 ltrs, | ..... | x 2.5 ltrs |
|-------|-----------|-------|------------|

**E. Zinc Phosphate Paint**

|       |           |       |            |
|-------|-----------|-------|------------|
| ..... | x 5 ltrs, | ..... | x 2.5 ltrs |
|-------|-----------|-------|------------|

F. Wood Primer

..... x 5 ltrs, ..... x 2.5 ltrs

G. Varnish

..... x 5 ltrs, ..... x 2.5 ltrs

**39. BOTTLED OXYGEN AND ACETYLENE**

|           |       |           |                            |
|-----------|-------|-----------|----------------------------|
| Oxygen    | ..... | cylinders | (6 cubic metres capacity)  |
| Oxygen    | ..... | cylinders | (10 cubic metres capacity) |
| Acetylene | ..... | cylinders | (4 Kgs capacity)           |
| Acetylene | ..... | cylinders | (6 Kgs capacity)           |

**40. XEROGRAPHIC PAPER**

|                    |       |                      |
|--------------------|-------|----------------------|
| 210mm x 297mm (A4) | ..... | Reams (x 500 sheets) |
| 297mm x 420mm (A3) | ..... | Reams (x 500 sheets) |

**41. DUPLICATOR PAPER**

|                    |       |                      |
|--------------------|-------|----------------------|
| 210mm x 297mm (A4) | ..... | Reams (x 500 sheets) |
|--------------------|-------|----------------------|

**42. COMPUTER CONTINUOUS PAPER**

A. Plain white continuous interfold paper  
Nominal width 240mm x 280mm long

|          |   |                    |       |       |
|----------|---|--------------------|-------|-------|
| Part I   | - | boxed x 2000 forms | ..... | Boxes |
| Part II  | - | boxed x 1000 sets  | ..... | Boxes |
| Part III | - | boxed x 500 sets   | ..... | Boxes |
| Part IV  | - | boxed x 500 sets   | ..... | Boxes |

B. Plain white continuous interfold paper  
Nominal width 370mm x 280mm long

|          |   |                    |       |       |
|----------|---|--------------------|-------|-------|
| Part I   | - | boxed x 2000 forms | ..... | Boxes |
| Part II  | - | boxed x 1000 sets  | ..... | Boxes |
| Part III | - | boxed x 500 sets   | ..... | Boxes |
| Part IV  | - | boxed x 500 sets   | ..... | Boxes |

C. Green ink ruled white continuous  
interfold paper

Nominal width 240mm x 280mm long

|          |   |                     |       |       |
|----------|---|---------------------|-------|-------|
| Part I   | - | boxed x 2,000 forms | ..... | Boxes |
| Part II  | - | boxed x 1,000 sets  | ..... | Boxes |
| Part III | - | boxed x 500 sets    | ..... | Boxes |

|          |  |       |       |
|----------|--|-------|-------|
| D.       | Green ink ruled white continuous interfold paper |       |       |
|          | Nominal width 370mm x 280mm long                 |       |       |
| Part I   | - boxed x 2000 forms                             | ..... | Boxes |
| Part II  | - boxed x 1000 sets                              | ..... | Boxes |
| Part III | - boxed x 500 sets                               | ..... | Boxes |
| Part IV  | - boxed x 500 sets                               | ..... | Boxes |

#### **43. ENVELOPES**

|      |                      |             |       |                  |
|------|----------------------|-------------|-------|------------------|
| 43.1 | Manilla Buff colour: | 114 x 162mm | ..... | No. Boxes x 1000 |
| 43.2 | Manilla Buff colour: | 160 x 260mm | ..... | No. Boxes x 500  |
| 43.3 | Manilla Buff colour: | 250 x 353mm | ..... | No. Boxes x 250  |
| 43.4 | Manilla Buff colour: | 327 x 455mm | ..... | No. Boxes x 250  |
| 43.5 | Window Manilla       | 105 x 234mm | ..... | No. Boxes x 1000 |
|      | Buff colour:         |             |       |                  |
| 43.6 | Window Manilla       | 90 x 152mm  | ..... | No. Boxes x 1000 |
|      | Buff colour:         |             |       |                  |
| 43.7 | Airmail:             | 114 x 162mm | ..... | No. Boxes x 1000 |
| 43.8 | Airmail:             | 105 x 234mm | ..... | No. Boxes x 1000 |

#### **44. DAS FORMS**

|      |  |       |      |
|------|--|-------|------|
| 44.1 | ACC 1 (General Receipts)                 | ..... | Sets |
|      | ACC 2 (Goods or Service Purchase Orders) | ..... | Sets |
|      | ACC 3 (Payment Voucher)                  | ..... | Sets |

#### **45. NATIONAL FLAGS**

|      |                            |       |     |
|------|----------------------------|-------|-----|
| 45.1 | Outdoor Type - 138 x 92cm  | ..... | No. |
| 45.2 | Outdoor Type - 183 x 122cm | ..... | No. |
| 45.3 | Outdoor Type - 275 x 183cm | ..... | No. |

#### **46. EUROPEAN UNION FLAGS**

|      |                           |       |     |
|------|---------------------------|-------|-----|
| 46.1 | Outdoor Type - 138 x 92cm | ..... | No. |
| 46.2 | Outdoor Type - 183x122cm  | ..... | No. |
| 46.3 | Outdoor Type - 275x 183cm | ..... | No. |

**47. BOILER SUITS**

|                | Small   | Regular | Tall    |
|----------------|---------|---------|---------|
| Size 88 (34")  | .....No | .....No | .....No |
| Size 92 (36")  | .....   | .....   | .....   |
| Size 96 (38")  | .....   | .....   | .....   |
| Size 100 (40") | .....   | .....   | .....   |
| Size 108 (42") | .....   | .....   | .....   |
| Size 112 (44") | .....   | .....   | .....   |
| Size 116 (46") | .....   | .....   | .....   |
| Size 124 (48") | .....   | .....   | .....   |
| Size 128 (50") | .....   | .....   | .....   |
| Size 132 (52") | .....   | .....   | .....   |
| Size 136 (54") | .....   | .....   | .....   |
| Size 140 (56") | .....   | .....   | .....   |
| Size 144 (58") | .....   | .....   | .....   |

**48. PVC BOOTS (KNEE TYPE)**

|         |           |
|---------|-----------|
| Size 30 | ..... No. |
| Size 40 | ..... No. |
| Size 41 | ..... No. |
| Size 42 | ..... No. |
| Size 43 | ..... No. |
| Size 44 | ..... No. |
| Size 45 | ..... No. |
| Size 46 | ..... No. |