

Department of Contracts
Notre Dame Ravelin
Floriana

To Ministries and
Heads of Department

28 May 2008

Period Contracts for Various Items of Stores: January to December 2009

It is planned that period contracts for the supply of various items of stores required by Government during the year 2009 will be placed during the coming months.

Heads of Department and Parastatal Bodies are therefore requested to indicate, on the attached Schedule, their estimated requirements for such items for next year. These returns will enable this Department to issue appropriate calls for tenders. **Care is to be taken to ensure that these estimated quantities are as accurate as possible particularly as regards all qualities of paper which, as you are aware, have to be supplied with the water mark and, therefore, cannot be disposed of by the period contractor on the open market. All requirements indicated by Departments / Parastatal bodies for paper products will have to be purchased in full during the contract period.**

It is to be noted that separate returns in respect of items of wear will be requested by the Procurement Section of this Department in due course and therefore such requirements are not to be included in the returns relative to this circular.

Where any item is required to any particular standard, this is to be clearly explained and all relevant details should be provided.

Returns are to reach the Procurement Section of the Department of Contracts, at the above address, by not later than the 4 June 2008. Returns can also be sent by e-mail to:- christine.chircop@gov.mt

F. Attard
Director General (Contracts)

/cc

PERIOD CONTRACTS FOR VARIOUS ITEMS OF STORES REQUIREMENTS 2008

Department _____

Name of Officer i/c Supplies _____
(Block Letters)

Signature _____ E-mail Address _____

Tel No.: _____ Fax No.: _____ Date: _____

1. **CLEAR SHEET GLASS**

2mm (1/16") thick square metres

3mm (1/8") thick

6mm (1/4") thick

2. **WIRED GLASS**

7mm thick square metres

3. **GLASS HAMMERED**

4mm thick square metres

4. **PUTTY (SUITABLE FOR BOTH WOOD FRAMES & METAL CASEMENTS)**

Containers of 50 Kgs. No.

Containers of 25 Kgs.

Containers of 12.5 Kgs.

5. **BATTERIES**

Departments are to indicate the type of battery required that is, whether Type A (for petrol driven engine) or type B (for heavy duty/diesel driven engine). The approximate measurements of the length, breath and height of the batteries required especially for plant/equipment of heavy vehicles are to be given. Whenever standard sizes of batteries are required these should be listed in the appropriate column. Furthermore full and clear details of batteries which are required to any particular specifications should be provided.

Volts	Amps	Type A or B	Standard Size	Non-Standard Size approx. Measurements: length X breadth X height	Qty
6	30				
6	75				
6	90				
6	100				
6	115				
6	120				
6	130				
6	140				
6	160				
6	180				
6	200				
12	25				
12	48				
12	60				
12	70				
12	75				
12	90				

Volts	Amps	Type A or B	Standard Size	Non-Standard Size approx. Measurements: length X breadth X height	Qty
12	115				
12	120				
12	125				
12	125 (long)				
12	125 (sqr)				
12	135 (long)				
12	150				
12	170				
12	180				

6. **TOWELS** No.

7. **TOILET PAPER** rolls

8. **MILD STEEL BARS (MACHINEABLE QUALITY) ROUND**

5mm (3/16")	mtrs	6mm (1/4")	mtrs
8mm (5/16")		10mm (3/8")	
11mm (7/16")		12mm (1/2")	
14mm (9/16")		16mm (5/8")	
19mm (3/4")		22mm (7/8")	
25mm (1")		32mm (1 3/4")	

50mm (2")	38mm (1 1/2")
70mm (2 3/4")	65mm (2 1/2")
75mm (3")		

9. MILD STEEL BARS (MACHINEABLE QUALITY) SQUARE

6mm (1/4")	mtrs	8mm (5/16")	mtrs
10mm (3/8")		12mm (1/2")	
16mm (5/8")		19mm (3/4")	
25mm (1")		32mm (1 3/4")	
38mm (1 1/2")		50mm (2")	
65mm (2 1/2")		70mm (2 3/4")	

10. MILD STEEL (MACHINEABLE QUALITY) FLAT

1.5mm (1/16")	x	25mm (1")	mtrs
3mm (1/8")	x	12mm (1/2")	
3mm (1/8")	x	16mm (5/8")	
3mm (1/8")	x	19mm (3/4")	
3mm (1/8")	x	32mm (1 1/4")	
3mm (1/8")	x	38mm (1 1/2")	
3mm (1/8")	x	45mm (1 3/4")	
3mm (1/8")	x	50mm (2")	
5mm (3/16")	x	16mm (5/8")	
5mm (3/16")	x	19mm (3/4")	
5mm (3/16")	x	25mm (1")	
5mm (3/16")	x	32mm (1 1/4")	
5mm (3/16")	x	38mm (1 1/2")	

5mm (3/16")	x	45mm (1 3/4")
5mm (3/16")	x	50mm (2")
6mm (1/4")	x	12mm (1/2")
6mm (1/4")	x	16mm (5/8")
6mm (1/4")	x	19mm (3/4")
6mm (1/4")	x	25mm (1")
6mm (1/4")	x	32mm (1 1/2")
6mm (1/4")	x	12mm (1 1/4")
6mm (1/4")	x	38mm (1 1/2")
6mm (1/4")	x	45mm (1 3/4")
6mm (1/4")	x	50mm (2")
6mm (1/4")	x	35mm (2 1/2")
6mm (1/4")	x	75mm (3")
6mm (1/4")	x	88mm (3 1/2")
6mm (1/4")	x	100mm (4")
8mm (5/16")	x	38mm (1 1/4")
8mm (5/16")	x	50mm (2")
8mm (5/16")	x	65mm (2 1/2")
10mm (3/8")	x	25mm (1")
10mm (3/8")	x	32mm (1 1/4")
10mm (3/8")	x	38mm (1 1/2")
10mm (3/8")	x	45mm (1 3/4")
10mm (3/8")	x	50mm (2")
10mm (3/8")	x	65mm (2 1/2")
10mm (3/8")	x	75mm (3")
12mm (1/2")	x	25mm (1")
12mm (1/2")	x	32mm (1 1/4")
12mm (1/2")	x	38mm (1 1/2")

12mm (1/2")	x	45mm (1 3/4")
12mm (1/2")	x	50mm (2")
12mm (1/2")	x	65mm (2 1/2")
12mm (1/2")	x	75mm (3")
19mm (3/4")	x	75mm (3")
19mm (3/4")	x	100mm (4")

11. MILD STEEL HOLLOW SECTIONS

19mm(3/4")	x	19mm(3/4")	x	G1.25mm mtrs
19mm(3/4")	x	19mm(3/4")	x	G1.50mm
25mm (1")	x	25mm(1")	x	G1.25mm
25mm (1")	x	25mm(1")	x	G1.50mm
32mm(1 1/4")	x	32mm(1 1/4")	x	G1.50mm
38mm(1 1/2")	x	38mm(1 1/2")	x	G1.50mm
50mm (2")	x	25mm (1")	x	G1.25mm
50mm (2")	x	25mm (1")	x	G1.50mm
50mm (2")	x	50mm (2")	x	G1.50mm
50mm (2")	x	100mm (4")	x	G1.50mm
65mm(2 1/2")	x	38mm (1 1/2")	x	G1.55mm
75mm (3")	x	75mm (3")	x	G1.50mm

12. MILD STEEL SHEET/PLATE – 1.8m (6') x 0.9m (3')

0.79mm (1/32")	sheets	6mm (1/4")	sheets
1.6mm (1/16")		10mm (3/8")	
3mm (1/8")		12mm (1/2")	
5mm (3/16")		16mm (5/8")	
19mm (3/4")				

MILD STEEL SHEET/PLATE – 1.8m (6') x 1.2m (4')

1.6mm	(1/16")	sheets	10mm	(3/8")	sheets
3mm	(1/8")		12mm	(1/2")	
5mm	(3/16")		16mm	(5/8")	
6mm	(1/4")		19mm	(3/4")	

MILD STEEL SHEET/PLATE – 2.4m (8') x 0.9m (3')

1.6mm	(1/16")	sheets	10mm	(3/8")	sheets
3mm	(1/8")		12mm	(1/2")	
5mm	(3/16")		16mm	(5/8")	
6mm	(1/4")		19mm	(3/4")	

MILD STEEL SHEET/PLATE – 2.4m (8') x 1.2m (4')

1.6mm	(1/16")	sheets	10mm	(3/8")	sheets
3mm	(1/8")		12mm	(1/2")	
5mm	(3/16")		16mm	(5/8")	
6mm	(1/4")		19mm	(3/4")	

13. MILD STEEL (MACHINEABLE QUALITY) ANGLE

19mm(3/4")	x	19mm(3/4")	x	3mm(1/8")	mtrs
25mm (1")	x	25mm (1")	x	3mm(1/8")	
25mm (1")	x	25mm (1")	x	5mm (3/16")	
25mm (1")	x	25mm (1")	x	6mm (1/4")	
32mm (1 1/4")	x	32mm (1 1/4")	x	3mm (1/8")	
32mm (1 1/4")	x	32mm (1 1/4")	x	5mm (3/16")	
32mm (1 1/4")	x	32mm (1 1/4")	x	6mm (1/4")	
32mm (1 1/4")	x	32mm (1 1/4")	x	10mm (3/8")	
38mm (1 1/2")	x	38mm (1 1/2")	x	3mm (1/8")	
38mm (1 1/2")	x	38mm (1 1/2")	x	5mm (3/16")	
38mm (1 1/2")	x	38mm (1 1/2")	x	6mm (1/4")	
38mm (1 1/2")	x	38mm (1 1/2")	x	8mm (5/16")	
38mm (1 1/2")	x	30mm (1 1/2")	x	10mm (3/8")	

45mm (1 3/4")	x	45mm (1 3/4")	x	6mm (1/4")
45mm (1 3/4")	x	45mm (1 3/4")	x	8mm (5/16")
50mm (2")	x	50mm (2")	x	5mm (3/16")
50mm (2")	x	50mm (2")	x	6mm (1/4")
50mm (2")	x	50mm (2")	x	8mm (5/16")
50mm (2")	x	50mm (2")	x	10mm (3/8")
65mm(2 1/2")	x	65mm(2 1/2")	x	6mm (1/4")
65mm(2 1/2")	x	65mm(2 1/2")	x	8mm (5/16")
65mm(2 1/2")	x	65mm(2 1/2")	x	10mm (3/8")
75mm (3")	x	75mm (3")	x	8mm (5/16")
75mm (3")	x	75mm (3")	x	10mm (3/8")
89mm (3 1/2")	x	89mm (3 1/2")	x	8mm (5/16")
89mm (3 1/2")	x	89mm (3 1/2")	x	10mm (3/8")
100mm (4")	x	100mm (4")	x	12mm (1/2")
125mm (5")	x	125mm (5")	x	12mm (1/2")
152.5mm (6")	x	152.5mm (6")	x	12mm (1/2")

14. MILD STEEL BARS - MACHINEABLE QUALITY 'T' IRON

19mm (3/4")	x	3mm (1/8")	thick	metres
25mm (1")	x	3mm (1/8")	thick	
25mm (1")	x	5mm (3/16")	thick	
25mm (1")	x	6mm (1/4")	thick	
25mm (1")	x	8mm (5/16")	thick	
25mm (1")	x	10mm (3/8")	thick	
32mm (1 1/4")	x	3mm (1/8")	thick	
32mm (1 1/4")	x	5mm (3 1/6")	thick	
32mm (1 1/4")	x	6mm (1/4")	thick	
32mm (1 1/4")	x	8mm (5 1/6")	thick	
32mm (1 1/4")	x	10mm (3/8")	thick	
38mm (1 1/2")	x	3mm (1/8")	thick	

38mm (1 1/2")	x	5mm (3 1/6")	thick
38mm (1 1/2")	x	6mm (1/4")	thick
38mm (1 1/2")	x	8mm (5 1/6")	thick
38mm (1 1/2")	x	10mm (3/8")	thick
45mm (1 3/4")	x	3mm (1/8")	thick
45mm (1 3/4")	x	5mm (3 1/6")	thick
45mm (1 3/4")	x	6mm (1/4")	thick
45mm (1 3/4")	x	8mm (5 1/6")	thick
45mm (1 3/4")	x	10mm (3/8")	thick
50mm (2")	x	3mm (1/8")	thick
50mm (2")	x	5mm (3 1/6")	thick
50mm (2")	x	6mm (1/4")	thick
50mm (2")	x	8mm (5/16")	thick
50mm (2")	x	10mm (3/8")	thick

15. **BRASS ROUND SECTION**

6mm (1/4")	diameter	metres
12mm (1/2")	diameter	
19mm (3/4")	diameter	
25mm (1")	diameter	
38mm (1 1/2")	diameter	

16. **CHANNEL BARS**

100mm (4")	x	38mm 1 1/2"	x	6mm (1/4")	mtrs
100mm (4")	x	50mm 2"	x	5mm (3/16")	mtrs
125mm (5")	x	75mm 3"	x	8mm (5/16")	mtrs
150mm (6")	x	75mm 3"	x	12mm (1/2")	mtrs
203mm (8")	x	75mm 3"	x	10mm (3/8")	mtrs

17. EXPANDED METAL STEEL SHEETS

(Departments are required to indicate whether the sheets are required flattened)

Size of sheets - 2.4m (8') x 1.22m (4') - approx.

Mesh 25mm x 5mm		
Strands 2.4mm x 1mm	sheets
Mesh 35mm x 10mm		
Strands 2.4mm x 1mm	sheets
Mesh 40mm x 13mm		
Strands 2.4mm x 1.2mm	sheets
Mesh 60mm x 20mm		
Strands 3mm x 1.5mm	sheets
Mesh 75mm x 25mm		
Strands 3mm x 2mm	sheets
Mesh 115mm x 40mm		
Strands 3mm x 3mm	sheets

18. STEEL PLATES CHEQUERED

2.44m (8') x 1.22m (4') x 6mm (1/4")	sheets
2.44m (8') x 1.22m (4') x 5mm (3/16")	sheets

19. SHEETS ELECTRO GALVANISED

2.44m (8') x 1.22m (4') x 0.71mm	sheets
2.44m (8') x 1.22m (4') x 1mm	sheets

20. SHEETS GALVANISED

Size 1.8m (6') x 0.9m (3')

G16	(1.5mm)	sheets
G20	(1mm)	
G24	(0.6mm)	
G26	(0.5mm)	

Size 1.8m (6') x 1.22m (4')

G16	(1.5mm)	sheets
-----	---------	-------	--------

Size 2m (7') x 0.6m (2')

G16	(1.5mm)
G20	(1mm)

Size 2.1m (7') x 0.9m (3')

G16	(1.5mm)
-----	---------	-------

Size 2.4m (8') x 0.6 (2')

G16	(1.5mm)
-----	---------	-------

Size 2.4m in (8') x 0.8m (2 1/2")

G14	(2mm)
G16	(1.5mm)

Size 2.4m (8') x 0.9m (3')

G16	(1.5mm)
-----	---------	-------

Size 2.4m (8') x 1.22m (4')

G16	(1.5mm)
G20	(1mm)
G22	(0.8mm)
G24	(0.6mm)
G26	(0.5mm)

Size 3.05m (10') x 0.9 (3')

G16	(1.5mm)
-----	---------	-------

21. **'Z' IRON** metres

22. **'H' IRON** metres

23. **CARBON STEEL BARS FOR CONCRETE REINFORCEMENT**

This item will no longer be procured under Framework Agreement Conditions

24. **STEEL WIRE MESH FOR CONCRETE REINFORCEMENT**

Reference B503

3.00m	x	2.20m	Sheets
3.40m	x	2.20m	Sheets
3.80m	x	2.20m	Sheets
4.40m	x	2.20m	Sheets
4.60m	x	2.20m	Sheets
4.80m	x	2.20m	Sheets
5.60m	x	2.20m	Sheets
6.00m	x	2.20m	Sheets

Reference A 252

6.00m	x	2.20m	Sheets
-------	---	-------	-------	--------

Reference A 98

3.00m	x	2.20m	Sheets
3.80m	x	2.20m	Sheets
4.40m	x	2.20m	Sheets
4.80m	x	2.20m	Sheets
6.00m	x	2.20m	Sheets
73.00m	x	2.20m	rolls

Reference A142

4.80m	x	2.20m	Sheets
-------	---	-------	-------	--------

25. RECTANGULAR PRECAST HOLLOW CONCRETE BLOCKS

Grade 'A'		
Double 230mm (9") thick	no.
Grade 'B'		
Single 230mm (9") thick	no.
Single 150mm (6") thick		
Grade 'C'		
Single 115mm (4 1/2") thick	no.
Single 63mm (2 1/2") thick	no.

26. READY MIXED CONCRETE

(a) Structural Concrete

	<u>Malta</u>	<u>Gozo</u>	
Concrete Grade C20			cubic metres
Concrete Grade C25			cubic metres
Concrete Grade C30			cubic metres
Concrete Grade C35			cubic metres
Concrete Grade C40			cubic metres

(b) Mass Concrete

	<u>Malta</u>	<u>Gozo</u>	
Concrete Grade C15			cubic metres
Concrete Grade C20			cubic metres

(c) Underwater

	<u>Malta</u>	<u>Gozo</u>	
Concrete Grade C20			cubic metres
Concrete Grade C25			cubic metres

27. WHITE DEAL

A. Boards in standard lengths of 4 mtrs.

19mm thick	CBM
25mm thick	CBM
32mm thick	CBM
38mm thick	CBM
48mm thick	CBM

B. Scantlings in standard lengths of 4 mtrs.

48mm x 25mm	CBM
64mm x 32mm	CBM
64mm x 64mm	CBM
75mm x 75mm	CBM

28. RED DEAL

A. Boards in standard lengths of 4 mtrs.

19mm thick	CBM
25mm thick	CBM
32mm thick	CBM
38mm thick	CBM
48mm thick	CBM

C. Scantlings in standard lengths of 4 mtrs.

48mm x 25mm	CBM
64mm x 32mm	CBM
64mm x 64mm	CBM
75mm x 75mm	CBM

29. MAHOGANY BOARDS

19mm thick	CBM
25mm thick	CBM
38mm thick	CBM
50mm thick	CBM

30. IROKO

25mm thick	CBM
38mm thick	CBM
50mm thick	CBM
75mm thick	CBM

31. PARANA PINE

19mm thick	CBM
25mm thick	CBM
38mm thick	CBM
50mm thick	CBM

32. FIBREBOARD (Hardboard)

1.8m (6') x 1.22m (4') x 4mm	sheets
1.8m (6') x 1.22m (4') x 6mm	
2.44m (8') x 1.22m (4') x 4mm	
2.44m (8') x 1.22m (4') x 6mm	

33. CHIPBOARD PLAIN

2.44m (8') x 1.83m (6') x 12mm	sheets
2.44m (8') x 1.83m (6') x 16mm	
2.44m (8') x 1.83m (6') x 19mm	
2.44m (8') x 1.22m (4') x 16mm	
2.44m (8') x 1.22m (4') x 19mm	

34. MERANTI BLOCKBOARD

2.44m (8') x 1.22m (4') x 12mm	sheets
2.44m (8') x 1.83m (6') x 16mm	
2.44m (8') x 1.22m (4') x 19mm	
2.44m (8') x 1.22m (4') x 25mm	

35. MARINE PLYWOOD

2.44m (8') x 1.22m (4') x 4mm	sheets
2.44m (8') x 1.22m (4') x 9mm	
2.44m (8') x 1.22m (4') x 12mm	
2.44m (8') x 1.22m (4') x 15mm	
2.44m (8') x 1.22m (4') x 19mm	

36. MERANTI PLYWOOD

1.8m (6') x 1.22m (4') x 4mm	sheets
2.44m (8') x 1.22m (4') x 3mm	
2.44m (8') x 1.22m (4') x 4mm	
2.44m (8') x 1.22m (4') x 6mm	
2.44m (8') x 1.22m (4') x 12mm	
2.44m (8') x 1.22m (4') x 15mm	
2.44m (8') x 1.22m (4') x 18mm	

37. PORTLAND CEMENT (ORDINARY)

Bags x 50 kgs	bags
---------------	-------	------

38. PAINTS

A. Plastic Emulsion Paint

Magnolia	x 5 ltrs,	x 10 ltrs
White	x 5 ltrs,	x 10 ltrs
Light Green	x 5 ltrs,	x 10 ltrs
Pale Green	x 5 ltrs,	x 10 ltrs

B. Enamel Gloss

Ivory	x 5 ltrs,	x 2.5 ltrs
White	x 5 ltrs,	x 2.5 ltrs
Black	x 5 ltrs,	x 2.5 ltrs
Mist Grey	x 5 ltrs,	x 2.5 ltrs
Green	x 5 ltrs,	x 2.5 ltrs

C. Enamel Undercoat

Ivory	x 5 ltrs,	x 2.5 ltrs
White	x 5 ltrs,	x 2.5 ltrs
Black	x 5 ltrs,	x 2.5 ltrs
Green	x 5 ltrs,	x 2.5 ltrs

D. Red Oxide Primer

.....	x 5 ltrs,	x 2.5 ltrs
-------	-----------	-------	------------

E. Zinc Phosphate Paint

.....	x 5 ltrs,	x 2.5 ltrs
-------	-----------	-------	------------

F. Wood Primer

..... x 5 ltrs, x 2.5 ltrs

G. Varnish

..... x 5 ltrs, x 2.5 ltrs

39. BOTTLED OXYGEN AND ACETYLENE

Oxygen	cylinders	(6 cubic metres capacity)
Oxygen	cylinders	(10 cubic metres capacity)
Acetylene	cylinders	(4 Kgs capacity)
Acetylene	cylinders	(6 Kgs capacity)

40. XEROGRAPHIC PAPER

210mm x 297mm (A4)	Reams (x 500 sheets)
297mm x 420mm (A3)	Reams (x 500 sheets)

41. COMPUTER CONTINUOUS PAPER

A. Plain white continuous interfold paper
Nominal width 240mm x 280mm long

Part I	-	boxed x 2000 forms	Boxes
Part II	-	boxed x 1000 sets	Boxes
Part III	-	boxed x 500 sets	Boxes
Part IV	-	boxed x 500 sets	Boxes

B. Plain white continuous interfold paper
Nominal width 370mm x 280mm long

Part I	-	boxed x 2000 forms	Boxes
Part II	-	boxed x 1000 sets	Boxes
Part III	-	boxed x 500 sets	Boxes
Part IV	-	boxed x 500 sets	Boxes

C. Green ink ruled white continuous interfold paper
Nominal width 240mm x 280mm long

Part I	-	boxed x 2,000 forms	Boxes
Part II	-	boxed x 1,000 sets	Boxes
Part III	-	boxed x 500 sets	Boxes

D.	Green ink ruled white continuous interfold paper		
	Nominal width 370mm x 280mm long		
Part I	- boxed x 2000 forms	Boxes
Part II	- boxed x 1000 sets	Boxes
Part III	- boxed x 500 sets	Boxes
Part IV	- boxed x 500 sets	Boxes

42. ENVELOPES

43.1	Manilla Buff colour:	114 x 162mm	_____	No. Boxes x 1000
43.2	Manilla Buff colour:	160 x 260mm	_____	No. Boxes x 500
43.3	Manilla Buff colour:	250 x 353mm	_____	No. Boxes x 250
43.4	Manilla Buff colour:	327 x 455mm	_____	No. Boxes x 250
43.5	Window Manilla	105 x 234mm		No. Boxes x 1000
	Buff colour:			
43.6	Window Manilla	90 x 152mm	_____	No. Boxes x 1000
	Buff colour:			
43.7	Airmail:	114 x 162mm	_____	No. Boxes x 1000
43.8	Airmail:	105 x 234mm	_____	No. Boxes x 1000

43. DAS FORMS

44.1	ACC 1 (General Receipts)	_____	Sets
	ACC 2 (General Form) Continuous 2	_____	Sets
	ACC 2A (General Form) Continuous 3	_____	Sets

44. NATIONAL FLAGS

45.1	Outdoor Type - 138 x 92cm	_____	No.
45.2	Outdoor Type - 183 x 122cm	_____	No.
45.3	Outdoor Type - 275 x 183cm	_____	No.

45. EUROPEAN UNION FLAGS

46.1	Outdoor Type - 138 x 92cm	_____	No.
46.2	Outdoor Type - 183x122cm	_____	No.
46.3	Outdoor Type - 275x 183cm	_____	No.

46. BOILER SUITS

	Small	Regular	Tall
Size 88 (34")NoNoNo
Size 92 (36")
Size 96 (38")
Size 100 (40")
Size 108 (42")
Size 112 (44")
Size 116 (46")
Size 124 (48")
Size 128 (50")
Size 132 (52")
Size 136 (54")
Size 140 (56")
Size 144 (58")